County

Borough of



Middlesbrough

HEALTH DEPARTMENT.

ANNUAL REPORTS

AND

VITAL STATISTICS

FOR THE YEAR

1904.

Middlesbrough:

Jordison & Co., Ld., Printers, &c.

Digitized by the Internet Archive in 2017 with funding from Wellcome Library

County Borough of Middlesbrough.

Sanitary and Sanatorium Committees.

HIS WORSHIP THE MAYOR (ALDERMAN JOHN FORBES).

ALDERMAN S. A. SADLER, M.P., Chairman.

COUNCILLOR A. MATTISON, Vice-Chairman.

Mr.	Alderman	R. Archibald, J.P.	Mr.	Councillor	T. Dodgson.
٠,	٠,٠	T. Baker, J.P.	,,	; ;	F. Dodsworth.
2.2	,,	W. J. Bruce, J.P.	,,	,,	W. Harkess.
٠,	• •	John Hedley, M.D., J.P.	,,	,;	T. Hornung.
٠,	1)	A. Hinton, J.P.	,,	,,	C. Imeson.
, ,	• •	J. McLauchlan, J.P.,	,,	,,	J. Jackson.
		Chairman of Sana-	,,	,,	J. Johnson.
		torium Committee.	, ,	,,	A. Main.
, ,	,,	J. F. Wilson, J.P.	, ,	,,	R. Mascall.
Mr.	Councillor	A. E. Allison.	,,	,,	W. Meggeson.
,,	,,	J. Baines.	,,	,,	J. Pannell.
,,	,,	J. Bosher.	, ,	,,	E. Pilkington.
, ,	,,	J. Calvert.	,,	, ,	T. G. Poole.
• •	,,	G. Carey.	,,	,,	J. Reveley.
,,	,,	P. Considine, B.A., M.B.	,,	,,	W. Roberts.
,,	,,	E. Cone.	,,	' ';	J. Robinson.
, •	,,	J. Dawson.	٠,	,,	J. Roddy.
, ,	,,	C. Dorman, J.P.	, ,	,,	W. T. Thomson.
,,	2.5	T. Dent.	,,	,,	G. Wycherley.

Refuse Sub-Committee.

ALDERMAN S. A. SADLER, M.P., Chairman.

Councillor A. Mattison, Vice-Chairman.

```
Mr. Alderman R. Archibald, J.P. Mr. Councillor E. Cone.
,, ,, W. J. Bruce, J.P. ,, ,, E. Pilkington.
Mr. Councillor A. Allison. ,, ,, W. Meggeson.
,, ,, J. Baines. ,, ,, J. Roddy.
```

Medical Officer of Health and Superintendent of Fever Hospitals.

CHARLES V. DINGLE, M.D., B.Hy., D.P.H.

Sanitary Staff.

Chief Sanitary Inspector:

Mr. GEORGE H. ANDERSON, Assoc. San. Inst.

Assistant Sanitary Inspectors:

THOMAS McDONALD.

A. W. LUCAS. C.S.I.

W. SMITH, C.S.I.

H. WATSON, C.S.I.

Lady Sanitary Inspector and Health Visitor:
MISS E. BENTHAM, C.S.I.

Foreman Inspector of Scavengers:
G. STEVENSON.

Clerk:

JOHN W. RAWDON.

Matron of the Sanatorium and Small-Pox Hospitals:

MISS M. WEBB.

Borough of Middlesbrough, 1904.

Area of Municipal Borou	gh	* *				2,824	Acres
Number of Houses						1	19,816
Length of Public Streets						46	Miles
Rateable Value						£34	49,434
Population (Estimated 19	904)						96,684
Death Rate for 1904						19:94 per	1,000
Average Death Rate for	10 year	S				21:02 per	1,000
Birth Rate for 1904						37:12 per	1,000
Average Birth Rate for 1	0 years	·				34-47 per	1,000
Zymotic Death Rate						2·5 per	1,000
Infantile Deaths per 1,00	00 Birth	S					170
MORTALITY STA	TISTIC	s FOR	ENG	GLAND	AND	WALES	
						1903	1904
Dooth Date new 1 000						45.4	10.0
Death Rate Der Luuu						15'4	10.7
Death Rate per 1,000 Birth Rate			• •			15·4 28·4	16·2 27·9
Birth Rate ,,			• •	• •		28:4	27.9
Birth Rate ,, Zymotic Rate ,,				• •			
Birth Rate ,, Zymotic Rate ,, Infantile Mortality				• • • • • • • • • • • • • • • • • • • •		28·4 1·46 132	27·9 1·94
Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RATE	 	 THE	 76	 GREAT	 Tow	28·4 1·46 132 NS.	27·9 1·94 146
Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RATE Death Rate per 1,000	 S FOR	 THE	 76	 GREAT 	 Tow	28·4 1·46 132 NS. 16·3	27·9 1·94 146
Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RATE Death Rate per 1,000 Birth Rate ,,	 S FOR	 THE 	 76 (GREAT 	 TOW	28·4 1·46 132 NS. 16·3 29·7	27·9 1·94 146 17·2 29·1
Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RATE Death Rate per 1,000 Birth Rate ,, Zymotic Rate ,,	 S FOR	 THE	 76	 GREAT 	 TOW 	28·4 1·46 132 NS. 16·3 29·7 1·89	27·9 1·94 146 17·2 29·1 2·49
Zymotic Rate ,, Infantile Mortality THE RATE Death Rate per 1,000 Birth Rate ,, Zymotic Rate ,, Infantile Mortality	 	 THE 	 76	 GREAT 	TOW	28·4 1·46 132 NS. 16·3 29·7 1·89 144	27·9 1·94 146 17·2 29·1
Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RATE Death Rate per 1,000 Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RA	S FOR	 THE 	76 · · · · · · · · · · · · · · · · · · ·	 GREAT 	 TOW 	28·4 1·46 132 NS. 16·3 29·7 1·89 144	27·9 1·94 146 17·2 29·1 2·49 160
Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RATE Death Rate per 1,000 Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RATE Death Rate per 1,000	S FOR	THE FOR R	 76 (GREAT	 TOW 	28·4 1·46 132 NS. 16·3 29·7 1·89 144	27·9 1·94 146 17·2 29·1 2·49 160
Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RATE Death Rate per 1,000 Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RATE Death Rate per 1,000 Birth Rate ,, Zentatic Rate ,,	S FOR	 THE FOR R	 76	 GREAT 	 TOW 	28·4 1·46 132 NS. 16·3 29·7 1·89 144	27·9 1·94 146 17·2 29·1 2·49 160 15·3 26·8
Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RATE Death Rate per 1,000 Birth Rate ,, Zymotic Rate ,, Infantile Mortality THE RATE Death Rate per 1,000	S FOR	THE FOR R	 76 (GREAT	 TOW 	28·4 1·46 132 NS. 16·3 29·7 1·89 144	27·9 1·94 146 17·2 29·1 2·49 160



INDEX.

PAGE

Abattoirs					 		51
Admissions to Sanatorium		* *			 		58, 59, 60, 61, 63
Ages of Persons at Death					 		
Analysis, Samples taken for					 		52
Bakehouses					 		51, 68
Births and Birth Rates					 		10, 27
Causes of Death					 		40, 41 to 46
Cleansing					 		48, 49
Common Lodging Houses					 		54
Comparison of Rates in Large	st Tow	ns			 		Preface
Convictions					 		52
Cowsheds and Dairies					 		53
Deaths and Death Rates					 		5, 6, 7, 8, 9, 27
., of Non-Residents					 		5, 35
" of Residents dying or	itside l	Borougl	h		 		36
of Infants					 		70-90
., in Public Institutions	s				 		29, 62
Death Rates at different Age	e perio	ds			 		7, 8, 25, 28, 40
in Districts					 		6, 7, 25
Monthly					 		9, 26
., Quarterly					 		9, 28
., in Wards	. 5				 		9
Diarrhœa					 		20
Diphtheria					 		16, 17, 58
Disinfection					 		59, 64
Diseased Meat and Food					 		· 49
Disposal of Refuse					 		50
Diseases of Respiratory Syste	em				 		18
Drains, &c					 		49
Enteric Fever			• •		 		13, 14, 15, 33, 34, 58
Factory and Worskhops Act					 		22, 23, 24, 57, 65
Female Sanitary Inspector					 		22, 23, 24
Fever Mortality					 		58, 59
Fines and Costs					 		52
Food and Drugs Act		* *		, ,	 	, ,	52

									PAGE
Home Work			• •			 			67
Housing Acts						 			4
Illegitimate Birtl	ıs					 			20, 21
Infantile Mortali	ty					 			19, 70-90
<mark>Infect</mark> ious Diseas	es in S	chools				 			16, 17
Laundries		• •				 			23, 68
Marriages						 			21
Measles						 			18
Midwives						 			5
Natural Increase	in Pop	oulation				 			10
Notification of In	nfection	us Disea	ases			 			11, 30, 31, 54
Nuisances						 			47, 48
Offensive Trades						 			51
Physical Feature	es of Bo	orough				 			1, 2 and 3
Phthisis and Tuk	percula	r Diseas	ses	* fr	b •	 			19, 20
Public Institutio	ns, Dea	aths in				 			29
Puerperal Fever						 			18
Sanitary Inspect	or's R	eport				 			47 to 57
Sanatorium Rep	ort					 			58 to 64
Scarlet Fever						 			15, 16, 58
Shop Assistants'	and S	hop Ho	urs' Ac	ts		 			22
Slaughter House	S					 			50
Small-Pox						 			11, 12, 13
Smoke Observat	ions					 			55
Still-Born Births	s					 			20
Uncertified Deat	ths					 			10
Vaccination						 			21
Vital Statistics	for Bo	rough				 			Preface and 3, 5, 37, 38
44 47	76	Largest	Towns	5		 			**
• • • • • • •	En	gland a	nd Wal	es		 			,,
22	Ru	ral Eng	land			 			
Whooping Coug	h					 			18
Workshops and						 			22
Zymotic Disease						 			10, 11, 32
Appendix A. Sa		um Rep	ort			 			58 to 64
		and Wo			ort	 			65 to 69
	·	Mortal				* 1	* 1	: 1	70 to 90
7				•					

A COMPARISON OF THE PRINCIPAL VITAL STATISTICS OF MIDDLESBROUGH WITH SOME OF THE 76 LARGEST TOWNS.

Towns.			Recorded Death Rate,	Corrected Death Rate.	Denths under 1 year per 1,000 Births.	Birth Rate.
London			16:10	17:00	144	28:00
Croydon			13.80	14-20	129	26.10
Willesden			12-22	13:10	115	32.86
Hornsey			8.43	9.62	87	20.40
West Ham			16.76	17:91	165	32:16
East Ham			13.50	14.40	140	31.7
Walthamstow			11.95	12.78	135	
Hastings			13:14	12.65	107	32.79 17.59
Southampton			13.83	13.76	114	
Reading		1	13.89	14-39	133	26.78
Great Yarmouth		- 1	17:02	15.62	165	25.87
Plymouth			18:74	18:21	173	27·90 25·33
	• •	• •	15:44	15.86	133	26.05
**			21.20	23.13	206	33.80
Hanley Burton-on-Trent	• •		15:05	16:54	118	
	• •	- 1				26.07
Wolverhampton	• •		14-61	15:29	152	29.80
West Bromwich	• •		15.90	16.05	149	33.50
Birmingham	• •		19-30	20.80	195	31.50
King's Norton	• •		11.20	11.53	102	28:40
Smethwick	• •		12.40	13-54	. 143	32.00
Covertry			15-52	15.54	137	31.40
Leicester	• •	• •	14.56	15.52	163	26-67
Nottingham		• •	17:50	18-40	175	27:86
Derby	• •		15.15	16.33	143	27:25
Stockport			19.98	21.56	201	26-63
Wallasey			16.05	17.57	157	29.43
Liverpool			21.90	23.40	196	33.50
Bootle			18:61	20.56	180	30.93
St. Helens			20:39	22-10	174	37.33
Wigan	* *	••	19.46	21.49	188	34-59

Towns,		Recorded Death Rate.	Corrected Death Rate.	Deaths under 1 year per 1,000 B'rths.	BIRTH RATE
Warrington		19:47	21:00		
Bolton	 • •	16.90	19-12	171	32.70
Bary		17:14	19:12	167	26-90
Salford	 	21.00	23.22	163 193	23.66
Oldham	 • • •	18:30	20:60	155	31.70
Blackburn	 • •	17:22	19:40	191	24·90 23·50
Preston		17:83	19.52	183	28:26
Huddersfield	 	17:51	18:81	136	
Halifax		15.50	16:60	130	23.71
Bradford	 	17:54	19:39	166	2)·10
Leeds		17.92	19:56	176	22:02 28:09
York		16.18	16.66	170	28:15
Hull		18.00	18:20	182	
West Hartlepool		16:30	14.20	134	30-80
Sunderland		19.40	20.00		33:03
South Shields		18.10	19:20	165	34.40
Newport		15.70	17:00	144	34.50
Cardiff		15:20	16.50	149	32:70
Rhondda		19-10	21:00	144	20.50
Merthyr Tydfil		19.70	20:86	186	39.70
Swansea	 	17.70	18:90	186	38.50
Edinbrough	 	15:04	15:66	125	30.50
Glasgow	 	18:16	20:11	145	23.42
County of Durham	• • • • • • • • • • • • • • • • • • • •	18 10	18:30	162	30.99
Middlesbrough	 	19-94	20.00	170	35·60 37·12



To the Chairman (Colonel S. A. Sadler, M.P.) and Members of the Sanitary Committee of the Corporation of the County Borough of Middlesbrough.

Gentlemen,

I have the honour to submit my Seventh Annual Report on the Health and Sanitary Condition of the County Borough of Middlesbrough, viz.:—that for the year ending December 31st, 1904.

In making a Report on the Health and Sanitary Condition of a town or district, it is suggested by the Local Government Board that the Physical features of the district should be borne in mind, and this is important, as they often have a direct bearing upon the health.

I am indebted to Mr. F. Baker, the Borough Surveyor, for the following short account of the Physical features of this Borough:—

South of the Railway.—The area of that portion of Middlesbrough South of the Railway, comprising the Cleveland, Cannon, Newport, Acklam, Ayresome, Exchange, Grove Hill, Linthorpe, and part of the Vulcan Wards, including houses and buildings, is 1,819 acres.

The levels vary from 8.00 O.D. in Marsh Road, which is the lowest point in the Borough, to 42.00 O.D. at Linthorpe, in Harrow Road.

The High Water Mark is 8.60 O.D.

The Geological Formation South of the Railway may be described as post-glacial beds, chiefly clay of considerable thickness, with gravel and sand more especially near the lines of the existing Becks.

Sandy loam is met with in the district near the New Cemetery. In excavating for the Marton Beck Valley Sewer the trench passed through hard clay, cutting through two beds of peat near Southfield Road, about 17 feet below the surface—a good specimen of the Antlers of the Red Deer was found about the same depth near Clairville Road—the trench afterwards passed through a long length of running sand full of water on the Middlesbrough Owners' Estate, about 18 feet from the surface, and eventually into hard laminated clay about the line of Eastbourne Road.

North of the Railway.—The area of this portion of the Borough, comprising the Marsh and part of the Vulcan Wards, is 1,005 acres.

The levels vary from 8.00 O.D. at the extreme West and South-West boundary to 38.70 O.D. at the North and North-East boundary.

The Geological Formation of this district is post-glacial beds and recent estuarine deposits, consisting of tipped slag, marine warp, sand, gravel, clay and peat, which contain remains of large oak trees and vegetable matter.

In the low lying portion of the Marsh Ward district the peat bed varies in thickness from 18 inches to 4 feet, and lies at a depth of varying from 4 feet to 5 feet from the surface.

The elevated plateau, upon which the old Town Hall and adjacent Streets are built, comprises a series of terraces consisting of layers of hard silicious red sand, gravel and small boulders.

All the streets West of Stockton Street and in the neighbourhood of Marsh Road, are built upon the estuarine deposits, upon which varying thicknesses of slag are tipped.

The Principal Features likely to influence the health of the Borough are the low level of the site, the formation of the subsoil, and the exposed position and want of natural protection from wind, etc.

On examination of Table XVII and of similar Tables in former Reports, it is seen that the greatest number of deaths occur in the following three groups, viz.:—

Diseases of the Respiratory System, causing over 20 per cent. of the total deaths.

Secondly, Constitutional Diseases, being diseases due to a bad habit of the body, possibly sometimes due to hereditary influences, in which group the chief causes of death are Tubercular and Malignant Diseases.

Thirdly, Diseases of the Digestive System, in which Diarrhœa plays the most important part.

Reviewing the conditions which are favourable to the existence of the above diseases, it is known that diseases of the Respiratory System are most frequent at the season of sudden changes of the temperature, and that their prevalence varies with the intensity of these changes; other predisposing causes are insanitary conditions, over-crowding and bad ventilation, and in addition the presence of dust, grit or irritating particles of any kind in the air breathed increases the liability to attack.

It is probable that the large amount of sharp irritating particles in the air of Middlesbrough is one of the principal reasons for the high mortality from diseases of the Respiratory System.

Tubercular Diseases are the most frequent in the second group, and of these Phthisis, or as it is usually termed consumption, is the chief. The conditions favourable to Phthisis are coldness and dampness of the soil, especially where the level of the ground water is high.

The presence of clay renders the soil cold. In this district where the clay is very prevalent its evil is increased owing to the low level of the site and to the fact that the higher ground slopes away from the town, consequently bringing the surface water down over the clayey subsoil.

Other conditions favourable to Tubercular Diseases are narrow streets and courts, back to back houses, overcrowding and want of ventilation.

Deaths from Diarrhea comprise the bulk of those due to diseases of the Digestive System, and are mainly those of Infants under five years of age. Errors in feeding, pollution of the soil, a debilitated condition of the constitution through exposure to emanations of sewer gas, dampness, want of proper cleanliness, care, attention and clothing, are all causes which help to produce the great Infantile Mortality from Diarrhea.

In considering this Report, the influence of the Physical features upon the various death rates should be carefully noted.

The Statistics for the past year are much more favourable than those of the previous five years, the death rate being 19.9 per 1,000 of the estimated population, being the lowest recorded death rate since the year 1897.

The birth rate was 37·12 per 1,000 of the population, being one of the highest birth rates in the country, and is the highest birth rate recorded in Middlesbrough since the year 1893.

The Infantile Mortality has also decreased from 186 to 170 per 1,000 births.

The death rate of the district South of the Railway, with an estimated population of 81,542 persons, was 19·14 per 1,000, whilst that of the district North of the Railway, with an estimated population of 15,142, was 24·23 per 1,000.

It is more difficult, year by year, to account for the steadily increasing death rate in the district North of the Railway, and a careful examination of the statistics for the past year does not show this increase to have been due to any one special cause.

The chief points worthy of note regarding the deaths in this district being the following: 33.7 per cent. of the total deaths were under one year of age and 55.2 per cent. were under five years of age. Only 7 per cent. of those who died during the past year lived to exceed 65 years of age.

40 per cent. of the total deaths which occurred in the various Public Institutions of the Borough were admitted from this district.

Housing of the Working Classes Act.—During the year 40 houses were dealt with under the Public Health Act of 1875 and the Housing of the Working Classes Act of 1900.

These houses were situated in the following streets:—

Linthorpe Mews		4	houses.
McNally's Yard		3	,,
Graham's Yard (Dac	re St	.)3	,,
Stockton Street		2	,,
Hilda Place		2	, ,
Dacre Street		1	, ,
Goschen Street		2	,,
Hardman Street		1	,,
Thorpe Street		2	,,
Thomas Street		2	,,
Woodhouse Terrace		2	, ,
Albion Place		7	,,
Raby Street		3	, ,
Vine Street		1	,,
Bulmer Street		4	,,
Hatherley Street	• 2	1	,,

Of these, 26 have been made habitable, 8 are not yet satisfactorily repaired, and the rest are being dealt with by arrangement with the owner, who has consented to demolish 2 houses and improve the remainder.

The Nile Street area has been declared to be an unhealthy area, and Plans are being drawn up for an improvement scheme under Part I. of the Act.

In addition to the above, many dilapidated houses have been dealt with during the past year, and special attention has been given to the houses in the Cannon, Newport and Marsh Wards, a house to house inspection having been made in the worst districts. Houses let in Lodgings.—The new Bye-Laws for Houses let in Lodgings came into force in November 1904.

It is requisite, for the proper carrying out of these Bye-Laws, that a special Inspector should be appointed, as the work now performed by the various Inspectors, owing to the many new Acts which have come into force during recent years, is greater than can be thoroughly and efficiently carried out by the present staff.

Midwives' Registration Act.—There have been 15 Midwives registered during the past year, being only a small proportion of those who are practicing Midwifery in the Borough.

The period allowed for registration expires in March of this year for all except those possessing a qualification.

This Act when it is in full force will undoubtedly be of great service and will minimise the number of cases of Puerperal Fever and also the number of Still Births.

An unregistered Midwife was, at the instance of the Health Department, severely censured by the Coroner's Court in April of last year, with the remarkable result that not a single case of either Puerperal Fever or of a Still Birth which had been attended by a Midwife was reported during the following three months.

Two important Sanitary works have been completed during the past year, namely the Pumping Station and the Marton Valley Beck Sewer.

Two matters, which are of extreme importance, and which should receive your consideration during the year, are the high Infantile Mortality (see Appendix C) and the steadily increasing death rate North of the Railway.

The question of abolishing Ashpit Middens is closely connected with the latter.

STATISTICS RELATING TO BIRTHS, DEATHS, CAUSES OF DEATH, ZYMOTIC DISEASES, &c.

Death Rate.—During the 52 weeks ending December 31st, 1904, there were 1,928 deaths registered in the Borough, representing a death rate for the year of 19.94 per 1,000 of the population, the estimated population being 96,684.

The number of non-residents who died in the Borough was 44, and of residents who died outside the Borough 50; allowing for these, a death rate of 20.0 per 1,000 of the population represents the corrected death rate for the year 1904.

The following have been the death rates during the past 10 years:—

1895	 19.31	1900		24.81	*25.07	
1896	 19.64	1901	• •	21.84	*21.90	
1897	 19.16	1902		20.48	*20.48	
1898	 21.77	1903		21.80	*21.77	
1899	 22.00	1904		19.94	*20.00	

*Corrected death rates.

The average death rate for these years being 21.02 per 1,000.

Death Rates in the Districts.—The following deaths occurred in the various districts into which the town is divided for statistical purposes, viz.:—

North of the Railway ... 367 deaths, equal to a death rate of 24·23 per 1,000.

East of Linthorpe Road .. 466 deaths, equal to a death rate of 14.71 per 1,000.

West of Linthorpe Road .. 772 deaths, equal to a death rate of 15.48 per 1,000.

In previous years the death rates in these districts were :—

	1901.	1902.	1903.
North of the Railway	 23.38	21.32	22·38 per 1,000.
East of Linthorpe Road	 15.64	16.02	15.62 ,,
West of Linthorpe Road	 19.62	16.57	19.77 ,,

The corrected death rates for the districts (i.e., the deaths registered in the districts together with deaths of persons belonging thereto but dying outside the Borough, and also including deaths of persons dying in Public Institutions admitted thereto from the various districts, but eliminating deaths of all non-residents) were:—

	1902.	1903.	1904.
North of the Railway	 28.3	29.98	32.62
East of Linthorpe Road	 17.8	17.01	16.67
West of Linthorpe Road	 19.6	22.24	18.28

Table I. gives the uncorrected death rates for the various districts during the past 20 years.

Quarterly Death Rates.—During the four quarters of 1904 the death rates were :—

Ist Qu	arter	• •	Deaths	471,	equal	to a	death	rate of	19.48 per	1,000.
2nd	"		> >	425,	,,	,	, ,,		17.58	,,

3rd ,, .. ,, 481, ,, ,, ,, 19·89 ,, 4th ,, .. ,, 551, ,, ,, ,, 22·79 ,,

The quarterly death rates in the various districts during 1904 were:	ates in the various districts during 1904 were:—
--	--

	Death Rates per 1,000							
DISTRICTS.	1st quarter.	2nd quarter.	3rd quarter.	4th quarter.				
			;					
North of the Railway	20.07	21.92	$27 \cdot 27$	27.73				
East of Linthorpe Road	14.01	13:26	13.26	18:31				
West of Linthorpe Road	14.91	14.03	16:36	18.20				

During the previous year these death rates were :—

North of the Railway	25.24	28.06	33.54	29.99
East of Linthorpe Road	13.64	19.98	15.38	17.26
West of Linthorpe Road	18.81	22.53	22.07	24.03

Of the 1,928 deaths registered in the Borough during 1904:—

367 occurred North of the Railway.

1,561 occurred South of the Railway.

The death rate for the year North of the Railway being 24.23 per 1,000.

and the corrected death rates:—

North of the Railway being 32.62 per 1,000. South ,, 17.65 ,,

Mortality at different Age Periods.—The 1,928 deaths occurred at the following age periods:—

Under 1 year of age		612	deaths	being equal to		
					the total	deaths.
1 and under 5 years of age		305	,,	, ,	15.81	,,
5 and under 10 years of age	• •	50	,,	,,	2.59	"
10 and under 15 years of ag	e	37	,,	,,	1.91	"
15 and under 25 years of ag	e	81	,,	,,	4.20	2.2
25 and under 65 years of ag	e	563	,,	, ,	29.20	,,
65 years of age and over		280	,,	,,	14.57	2.2

The following table compares these rates with those of the previous 6 years:—

Ages.		Percentage of Deaths at various age periods to Total Deaths.						Deaths.
		1898	1899	1900	1901	1902	1903	1904
Under 1 year		 28.77	27.93	27.51	32.93	32.21	31.37	31.74
l and under 5	• •	 16.21	17.93	12.83	18.89	16.68	18.29	15.81
5 and under 10		 2.8	2.5	2.3	2.3	3.5	2.6	2.5
10 and under 15		 1.9	1.1	0.8	1.4	1.4	1.4	1.9
15 and under 25		 6.1	4.9	5.4	4.5	4.4	4.8	4.2
25 and under 65		 29.8	29.7	31.2	28.9	29.2	29.8	29.2
65 years and over		 14.2	15.3	20.0	10.9	11.8	11.5	14:5

The percentage of deaths, at various age periods, to total deaths in the various districts were:—

				Percentage of Deaths to Total Deaths in the following districts.				
AGE PERIOR	os.			East of Linthorpe Road.	West of Linthorpe Road.	North of the Railway.		
Under 1 year				30.2	41.3	33.7		
1 and under 5 years			• •	17:3	16.2	21.5		
5 and under 10 years				$2 \cdot 1$	2.0	3.5		
10 and under 15 years				2.1	1.6	1.9		
15 and under 25 years				3.4	4.2	2.9		
25 and under 65 years	• •			28.1	23.8	28.3		
65 years and over		• •		16.5	10.6	7.9		

The monthly death rates per 1,000 of the estimated population in the various Wards of the Borough for the year 1904 were as follows:—

Wards.	January	February	March	April	May	June	July	August	September	October	November	December
Ayresome	16.89	14.09	12.74	12.33	14.30	15.66	7.11	12.74	10.57	9.56	20.67	22.30
Acklam	11.82	11.44	16.22	19.62	8.80	16.72	13.20	11.82	10.69	22.13	9.18	26.54
Cannon	16.73	13.88	36.32	20.18	25.27	14.36	16.73	36.32	24.45	23.75	14.36	25.04
Cleveland	17.53	14.14	15.90	14.81	6.39	19.85	9.51	15.90	18.08	11.14	14.81	17.53
Exchange	17.15	15.81	15.69	18.00	14.23	10.34	17.15	22.87	23.60	18.61	19.22	19.95
Grove Hill	8.13	15.11	8.45	18.83	10.0	12.32	8.13	11.86	14.10	17.28	18.83	16.35
Linthorpe	21.40	23.75	22.97	15.87	12.25	12.66	15.27	12.27	14.22	13.70	23.75	22.97
Marsh	22.74	26.34	44.39	27.99	31.40	26.89	32.51	44.39	35.82	22.74	35.82	50.93
Newport	26.65	28.22	17:36	16.77	19.73	14.40	17:36	37.10	32.36	20.82	31.18	27.82
Vulcan	23.14	22.42	24.61	20.92	20.18	28.43	12.92	30.40	20.92	24.61	32.86	27.44

The average death rates for these Wards per annum during the past four years being:—

			*1901		1902		1903	1904
Ayresome		• •	19.5		15.07	• ^•	17.48	14.08
Acklam		• •	16.3		16.28		20.67	14.84
Cannon			26.0		22.84		27.27	22.28
Cleveland			18.1		18.86		19.66	14.63
Exchange			18.1		19.56	• •	20.18	17.71
Grove Hill		• •	10.9		13.33		13.35	13.28
Linthorpe	• •	• •	14.6		15.50		14.09	17.59
Marsh	• •	• •	23.1		28.69		29.06	33.49
Newport			24.6	• •	25.87		27.18	24.14
Vulcan			21.0		23.61		25.76	24.07

^{*}During the year 1901, deaths occurring in Public Institutions were not allotted to the Wards from which the persons had been removed.

Births.—During the year 1904, 3,589 births were registered in the Borough. Of these 1,894 were males and 1,695 were females, the birth rate for the year being 37·12 per 1,000 of the population.

The natural increase, i.e., the excess of births over deaths, during the year 1904 being 1,661, during 1903 the natural increase was 1,417.

The following have been the birth rates during the past 10 years:—

1895	• •	• •	32.91	1900	• •	 34.46
1896	• •		31.70	1901		 36.44
1897			33.35	1902		 36.09
1898			32.52	1903		 36.72
1899			33.47	1904		 37.12

The average birth rate for these years being 34.47.

Uncertified Deaths.—During the year there were 24 uncertified deaths, being 1.19 per cent. of the total deaths.

The causes of death being as follows:—

Convulsions	S	 7	Asthma			1
Heart Dise	ase	 4	Hœmorrha	ge		1
Natural Ca	uses	 2	Premature	Birth		1
Tubercular	Disease	 2	Syphilis			1
Debility	• •	 2	Teething	• •		1
Old Age		 1	Phthisis	• •	• •	1
			*			
						24
					:	

Of these, 11 were under 1 year of age.

Zymotic Diseases.—(The principal Zymotic Diseases include Small-Pox, Measles, Scarlet Fever, Diphtheria, Whooping Cough, "Fever"—Typhus, Simple, Continued and Enteric—and Diarrhæa).

During the year 1904, there were 246 deaths from the above diseases, the Zymotic rate being 2.5 per 1,000 of the population.

The number of deaths from the principal Zymotic diseases and the Zymotic death rates per 1,000 of the population during the past 7 years were as follows:—

Deaths from	Zymotic	e Diseases.	Zymotic De	ath Rate.
1898	• •	383	4·2 per	1,000.
1899	• •	216	$2\cdot 3$,,
1900	• •	159	1.6	,,
1901	• •	270	2.9	,,
1902	• •	224	2.4	,,
1903		271	2.8	,,
1904		246	2.5	,,

Notifiable Diseases.—The total number of Infectious Diseases notified during the year 1904 was 867, in the previous year there were 570 cases notified.

During the past 7 years the number of cases of Scarlet Fever, Enteric Fever and Diphtheria notified in the Borough was as follows:—

	Scarlet Fever.	Enteric Fever.	Diphtheria.	Total Notifications during the Year.
1898	237	234	54	2,032 (Small-Pox Epidemic).
1899	345	136	30	611
1900	284	96	25	502
1901	376	156	68	680
1902	500	121	164	879
1903	252	81	117	570
1904	612	67	79	867

Small-Pox.—15 cases of Small-Pox were notified during the year, all of which were removed to the Small-Pox Hospital at Hemlington.

Date of N'fication.	Age.	Sex.	Condition as to Vaccination.	Probable source of Infection.	m Result.
Case No. 1 Jan. 4th	15	м.	2 marks, done in Infancy, fairly well foveated, ½ in. in diam. Re-vaccinated 13 days before appearance of rash.	Living in a house in which a previous case occurred	Very mild case.
No. 2 Jan. 8th	50	M.	No marks visible. Said to have been vaccinated in Infancy.	Contracted the disease whilst tramping from town to town.	Severe confluent case.
No. 3 Feb. 5th	35	F.	3 marks, done in Infancy, badly foveated and poor, 1 in. in diam. Source of disease unknown.		Mild discrete case.
No. 4 Feb. 6th	14	M.	3 marks, done in Infancy, well foveated, $1\frac{1}{2}$ in. in diam.	Contracted at same time as Case No. 3. These two are Mother and Son.	Very mild case.
No. 5 Feb. 9th	33	М.	2 marks, done in Infancy, poor and badly foveated, $\frac{1}{2}$ in. in diam.	Probable source of infection some of the previous cases Man was a canvasser from door to door in the same district.	Severe discrete case.
No. 6 Feb. 16th	30	F.	l mark, done in Infancy, $\frac{1}{2}$ in. in diam, well foveated.	Contracted by visiting at house where Cases Nos. 4 and 3 occurred.	Mild discrete case.
No. 7 Feb. 17th	34	F.	3 marks, done in Infancy, well foveated, $\frac{1}{2}$ in. in diam.	Contracted by visit- ing house where Cases 3 and 4 occurred.	Mild discrete case.
No. 8 Apr. 12th	22	M.	1 mark, done in Infancy, well foveated, ½ in. in diam.	Contracted at Falkirk in Scotland.	Mild case.
No. 9 July 28th	50	M.	3 marks, done in Infancy, well foveated, $\frac{1}{2}$ in. in diam.	Contracted at Long- newton.	Severe discrete case.
No. 10 Nov. 3rd	45	М.	2 marks, done in Infancy, well foveated, $\frac{1}{2}$ in. in diam.	Contracted at Hull.	Mild discrete case.
No. 11 Nov. 8th	36	M.	4 marks, done in Infancy, well foveated, 2 in. in diam. Re-vaccinated 6 years ago, 2 marks fairly well foveated		Proved not to be Small-Pox
No. 12 Nov. 29th	40	M.	l mark, done in Infancy, not well foveated, ¼ in. in diam.	Contracted from an unknown case which was not traced until after recovery.	Severe confluent case.

	1	1			
Date of N'ficat on.	Age.	Sex.	Condition as to Vaccination.	Probable source of Infection.	Result.
Case No. 13 Dec. 12th	30	м.	4 marks, done in Infancy, well foveated, 2 in. in diam. Re-vaccination 20 years ago whilst in the Army, 1 mark good and well foveated.		Case proved not to be Small- Pox, was pro bably Mea- sles.
No. 14 Dec. 13th	40	F.	2 marks, done in Infancy, not well foveated, \(\frac{1}{4} \) in. in diam. Re-vaccinated Nov 30th, Rash appeared Dec. 12th.	Contracted the disease from Case No. 12. Husband and Wife.	Mild case.
No. 15 Dec. 19th	22	F.	4 marks, done in Infancy, not well foveated, 2 in. in diam.	Contracted the disease from same source as Case No. 12. Was living in the house where the unknown Case occurred.	Severe conflu- ent case.

Enteric Fever.—67 cases were notified, 18 of which proved fatal, the mortality being 26.8 per cent.

34 of the cases were removed to the Isolation Hospital for treatment.

The death rate per 1,000 of the population from Enteric Fever during the past year being 0.18.

The following have been the death rates during the past 10 years:—

1895			·32 per	1,000 of t	the population.
1896			•40	,,	,,
1897			.32	,,	2.2
1898			.35	,,	2.3
1899		• •	.24	2 2	· ·
1900		* *	.17	,,	,,
1901		• •	.33	, ,	,,
1902	• •		.24	"	,,
1903			.23	, ,	,,
1904	• •		·18	, ,	,,

The greatest number of cases occurred in the Newport and Grove Hill Wards. See Tables VII and IX.

Of the 67 cases notified 42 occurred in houses with Pan Closet accommodation.

17 ,, ,, Ashpit ,, 8 ,, ,, Water Closet ,,

the relative proportion of Ashpits to Pan Closets in the Borough being about oneseventh.

The following Sanitary defects were found on the premises where cases of Enteric Fever occurred:—

Dirty House 1
Dilapidated back yards ... 3
Dilapidated gully ... 1
Defective sinkwaste-pipe ... 1
Dilapidated privy floor ... 1
Dilapidated privy riser ... 1
Foul sink drain ... 1
Overcrowding 1
Dilapidated ashpit ... 1

Ages of those a	Ages of those who died.				
Under 1 year	• •			Nil.	Nil.
1 and under 5 years			• •	4	1
5 and under 15 years		• •		19	3
15 and under 25 years	• •			18	7
25 and under 65 years				24	5
65 years and over			• •	2	2
Γ	Total	***************************************		67	18

They occurred in the following districts:—

North of the Railway	East of Linthorpe Road	West of Linthorpe Road.						
7	22	38						
The fol	The following were removed to Hospital:—							
3	9	22						

The following were the occupations of those attacked by Enteric Fever:—

Attending Scho	ool			18
Household Dut	cies an	nd Infa	ants	14
Labourers				10
Bricklayers' La	bour	ers		3
Farm Labourer	C		• •	1
Brass Moulder	• •	• •		1
Steelworker	• •			1
Shipwright	• •			1
Fitter			• •	1
Plater	• •			1
Painter				1
Gas Producer			• •	1
Mine Filler				1
Cement Worke	r		• •	1
Coal Dealer	• •			1
Stonemason			• •	1
Sampler	• •			1
Fruit Salesman			• •	1
Clergyman				1
Waitress				1
Occupation not	knov	wn		6
				67
				Mary Bullion (CA)

Scarlet Fever.—612 cases were notified. In the previous year there were 252 cases notified. 10 cases proved fatal, the death rate being 1.5 per cent.

499 of the 612 cases—81.5 per cent., were removed to the Isolation Hospital for treatment—In the previous year the percentage of cases removed being 79.7.

Ages of those a	Ages of those who died.				
Under 1 year			• •	8	Nil.
l and under 5 years				182	6
5 and under 15 years				378	3
15 and under 25 years				31	1
25 and under 65 years		• •		13	Nil.
65 years and over			• •	Nil.	Nil.
Total	• •	• •		612	10

They occurred in the following districts:—

North of the Railway.	East of Linthorpe Road.	West of Linthorpe Road.						
24	189	399						
The fo	The following were removed to Hospital:—							
21	125	353						

338 of the children who contracted Scarlet Fever attended School. Of these:—62 attended the Newport School.

-		2.01.1001.
45	,,	Victoria Road School.
40	, ,	Grange Road School.
38	,,	Fleetham Street School.
34	• ;	Ayresome School.
30	, ,	St. Paul's School.
27	, ,	Denmark Street School.
21	,,	Marton Road School.
20	,,	Southend School.
16	, ,	St. John's School.
14	, ,	Wesleyan School.
12	, ,	Linthorpe School.
11	2.2	St. Patrick's School.
9	, ,	St. Mary's School.
6	2.2	St. Hilda's School.
6	, ,	High School.
3	, ,	Miss Collingwood's School.
2	2.3	Miss Shepherd's School.
1	,,	Convent School.
1	2.2	Miss Dalston's School.

Diphtheria.—79 cases were notified during 1904, being a great decrease in number compared with the two previous years. 11 of these cases proved to be fatal.

The following have been the number of notifications of Diphtheria and the deaths per annum for the past 6 years;:—

Diphtheria		1899	1900	1901	1902	1903	1904
Cases Notified Deaths	• •	30 9	25 3	68 19	164	117 32	79 11

The rate of mortality during 1904 being 13.9 per cent., compared with 27.3 per cent. in the previous year.

27 8 per cent. of the 79 cases were removed to the Isolation Hospital.

Ages of those a	Ages of those who died.				
Under 1 year		• •		3	2
1 and under 5 years		• •	• •	24	4
5 and under 15 years				40	5
15 and under 25 years				5	Nil.
25 and under 65 years				7	Nil.
65 years and over			• •	• •	Nil.
r	 Cotal			79	11

They occurred in the following districts:—

North of the Railway.	East of Linthorpe Road.	West of Linthorpe Road.					
23	28	28					
The following were removed to Hospital:—							
9	8	5					

Cases occurred amongst children attending the following schools:—

St. Hilda's Sch	ool		11	Fleetham Street Sc	ehool	 3
Marton Road	, ,		5	Grange Road	,,	 2
Victoria Road	,,		4	Wesleyan	,,	 2
St. John's	"		3	Ayresome	"	 2
St. Mary's	,,	• •	3	Lower East Street	,,	 1
Newport	,,		3	Southend	,,	 1
St. Patrick's	22	, .	3			

Measles.—Caused 39 deaths during 1904, against 67 in the previous year.

The deaths occurred in the following districts:—

North of the Railway ... 16 East of Linthorpe Road ... 17 West of Linthorpe Road ... 5

Dublic Institutions

Public Institutions 1

39

The ages at death being:—

Under 1 year ... 7

1 and under 5 years ... 31

5 and under 15 years ... 1

39

Whooping Cough.—Caused 25 deaths. In the previous year there were 15.

They occurred in the following districts:—

North of the Railway ... 7

East of Linthorpe Road .. 7

West of Linthorpe Road .. 11

25

The ages at death being:—

Under 1 year 12

1 and under 5 years ... 12

5 and under 15 years ... 1

25

Erysipelas.—82 cases were notified and one case proved fatal.

Puerperal Fever.—7 cases were notified, 4 of which were fatal.

1 occurred North of the Railway.

1 ,, East of Linthorpe Road.

5 ,, West of Linthorpe Road.

In 3 of these cases the confinement was conducted by the same woman, who is an unregistered Midwife, 2 others were conducted by Midwives.

Infantile Mortality.—612 Infants under 1 year of age died during 1904, a mortality of 170 per 1,000 births.

The deaths under one year of age were 31.74 per cent. of the total deaths.

In the previous year there were 650 deaths under 1 year, being 31·3 per cent. of the total deaths and representing a mortality of 186 per 1,000 births.

The chief causes of death being:—

			1	902.	1	903.	19	904.
Marasmus, &c.]	151	deaths	124	deaths	113	deaths
Convulsions			72	,,	68	,,	45	,,
Premature Birt	h		69	,,	77	,,	57	,,
Pneumonia	• •		59	"	88	"	64	"
Diarrhœa	• •		39	,,	77	22	109	,,
Enteritis			41	22	27	,,	37	,,

The Infantile Mortality of the Borough is dealt with in a special report. See Appendix C.

Diseases of the Respiratory System.—409 deaths were caused by diseases of the Respiratory System, during the previous year there were 484.

Of the above deaths, 265 were from Pneumonia and 109 were from Bronchitis.

Deaths from Respiratory diseases were 21.2 per cent. of the total deaths.

During 1899 the mortality from Pneumonia per 1,000 of the population living was 4.2

,,	1900	,,	,,	"	,,	5.5
,,	1901	,,	"	,,	,,	3.1
,,	1902	,,	,,	,,	,,	3.1
,,	1903	,,	,,	,,	,,	3.6
,,	1904	,,	,,	,,	,,	2.7

Tubercular Diseases caused 218 deaths, of these :-

18 were from Tabes Mesenterica.

25 ,, Tubercular Meningitis.

123 ,, Pulmonary Tuberculosis.

52 ,, other Tubercular Diseases.

218

76 of the above deaths were those of children under 5 years of age.

54 deaths occurred East of Linthorpe Road.

102 ,, ,, West of Linthorpe Road.

,, ,, North of the Railway.

and 21 ,, ,, in Public Institutions.

The following have been the number of deaths yearly from all Tubercular diseases for the past 10 years:—

1895	1896	1897	1898	1899	1900	1901	1902	1903	1904
156	175	177	198	215	247	225	204	210	218

Diarrheal Diseases.—There were 139 deaths from Diarrheal diseases during 1904, in the previous year there were 119.

Of the 139 deaths during 1904:—

16 occurred East of Linthorpe Road.

89 ,, West of Linthorpe Road.

34 ,, North of the Railway.

The death rate from these causes being 2.2 per 1,000 of the population North of the Railway. The death rate from these causes being 1.2 of the population South of the Railway.

109 of the deaths were infants under 1 year of age.

29 were between 1 and 5 years of age.

1 was over 65 years of age.

139

Still-Born Children.—During the year 1904 there were 167 bodies of children buried who were stated to have been still-born. Of these, 145 certificates as to still-birth were from Medical Practitioners and 22 were from Midwives. In the previous year there were 139 certificates from Medical Practitioners and 25 from Midwives.

The following have been the number of burials of still-born children in the Middlesbrough Cemetery during the past 8 years:—

1897	• •	137	1901	• •	198
1898	• •	139	1902		164
1899		163	1903	• •	164
1900		181	1904	• •	167

Illegitimate Children.—115 of the births registered during 1904 were those of illegitimate children. Of these 60 were boys

55 were girls.

The numbers of such births in previous years were :—

1898	• •	96	1902	 104
1899		114	1903	 117
1900	• •	108	1904	 115
1901		131		

I have been unable to ascertain the proportion of deaths to births amongst illegitimate children during the past year, but hope to be able to give this information in the future.

Marriages.—The number of marriages of persons, one or both of whom were residents in the Borough of Middlesbrough, during the year 1904 was 861. Of these:—460 were in the Church of England and 401 were in the Nonconformist Places of Worship and the Registrar's Office.

Vaccination.—2,523 certificates of successful vaccination were received by the Vaccination Officer during 1904.

The number of certificates granted to persons claiming exemption being 2.

Female Sanitary Inspector and Health Visitor.

During the year ending December 31st, 1904, Miss E. Bentham reports that she has made 3,525 visits to houses in the worst localities. Of these, 1,052 were first visits and 2,473 were re-visits.

In addition to the above house to house visits, the following inspections and visits have been made:—

- 287 visits for the purpose of investigating Infantile mortality.
- 667 Factory and Workshops Inspections.
- 272 Domestic Workshops Inspections.
- 172 Shop Hours Act Inspections.
- 122 Shop Assistants Seats Act Inspections.
 - 86 Outworkers Inspections.
 - 84 Workplaces visited.
 - 9 Laundry Inspections.
 - 6 investigations of cases of Puerperal Fever.

The total number of visits made during the year being 5,230.

Many special cases have been referred to the Health Visitor, during the past year 267 such visits have been made, these cases being reported by Relieving and School Board Officers, School Teachers, the N.S.P.C.C. Society, and by Agents, Landlords and Tenants of houses.

785 systematic house to house visits were made in the following districts, viz.:—

460 in the Marsh Ward

178 in the Cannon Ward and

147 in the Newport Ward.

785

The following were the streets in these districts visited with the number of visits per street:—

The streets were as follows	*			
Innes Street	27	William Street	• •	18
Aislaby Place	5	Silker Street		10
Holling's Yard	2	Suffield Street		44
Walton's Yard	2	Richmond Street		66
Beadnall Yard	2	John Street		6
Malthouse Yard	2	Danby Place		7
Byer's Yard	6	Graham's Yard, Richm	one	d
Graham's Yard	3	Street		4
Ironwarehouse Yard	5	Goschen Street		18
Henderson's Yard	2	Hardman Street		28
Stockton Street	110	Stansfield Street		20
Victoria Yard	5	Monsell Street		22
Ingledew's Buildings	11	Coleridge Street		8
George Street	12	Hartington Street		24
Wellington Street	46	Nixon Street	• •	14
York Tavern Yard	8	Northumberland Street	t	14
Wesley Place	8	Thorpe Street		14
Marlborough Street	17	Raby Street		20
Nelson Place	10	Queen Mary Street		55
Mill Lane	3	Spencer Street, part of	it	30
Robert Street	20	Prince Charles Street	• •	58
				785

Of the above houses there were:—

- 48 rooms sub-let.
- 98 houses had badly ventilated bedplaces.
- 263 houses were dirty.
 - 14 were filthy.
- 306 had no facility for washing clothes.
- 442 had unventilated dark pantries unsuitable for keeping food in.

Resulting from the house to house visits, 516 Sanitary defects were referred to the Sanitary Department, and 90 rooms were limewashed or papered.

Factory and Workshops.—Miss Bentham has paid visits to 175 Workshops, 12 Factories, 3 Steam Laundries and 3 Hand Laundries, employing a total of 1,112 women and girls and 326 men.

Workplaces.—42 have been visited, a total of 84 visits being made, they are reported to be improving in cleanliness. These workplaces for the most part consist of kitchens of Hotel, Restaurants, Tea Rooms and Theatres.

Domestic Workshops.—There are 246 to which 272 visits were paid, they consist of ordinary living rooms used for the purposes of dressmaking, needlework, alterations, quilting, baking, etc.

Outworkers.—86 visits were made to houses where outworkers were engaged upon the following occupations, viz.:—shirtmaking, tailoring, alterations, hemming sheets and towels, knitting, slipper making, etc.

On the whole the work was found to be carried out under favourable conditions.

The following Sanitary defects and contraventions of the above Acts were dealt with:—

Workshops to Limewash	• •	4
No Abstract of Fet shown	• •	9
Unregistered Workshops	• •	8
Outworkers' List not supplied	• •	9
Dirty Workshops	• •	5
Dirty Sanitary Accommodation .		6
Structural Defects		5
Defective Sanitary Accommodation.	• •	2
No separate Sanitary Accommodation	on	2
Defective Pan Closets		4

During the months of June, July, August and September, the greater part of Miss Bentham's time was occupied in making investigations into the various causes leading to Infantile Mortality, the deaths of all Infants under two years of age were inquired into and very complete information was obtained and tabulated, for this purpose 287 visits were made, the information and statistics obtained are incorporated in a special Report on Infantile Mortality included in this Report. See Appendix C.

I have the honour to be, Gentlemen,

Your obedient Servant,

CHARLES V. DINGLE, M.D.,

The Health Department,
Middlesbrough,
February, 1905.

Medical Officer of Health.

TABLE I.—Giving the Annual Death Rates (Uncorrected) in the various Districts of the Borough for the past 20 years.

YEARS	YEARS. Death Rate of West of Boundary		Death Rate per 1,000 East of Boundary Road.	Death Rate per 1,000 North of Railway.
1884		21.57	19.76	15.09
1885		20.47	19.69	18:38
1886		19:38	19.64	19.46
1887		19·12	19.09	16.48
1888		19:26	22.50	21.71
1889		20.33	16.23	17.54
1890		21.96	16.09	20.90
1891		21:46	19:34	20.51
1892		21.46	15.97	20.02
1893		19:40	15.89	16.82
1894		17:30	13.04	19.41
1895		18.06	14.86	18.46
1896		19.58	14.56	20.09
1897		19.23	13.49	20.55
1898		19:31	15.37	20.53
1899		19.84	15.65	26:31
1900		23.74	17:14	27.26
1901	• •	West of Linthorpe Road. 19.62	East of Linthorpe Road. 15.64	North of Railway. 23.38
1902	• •	16.57	16.02	21.32
1903	• •	19.77	15.62	22·3 8
1904	• •	15.48	14.71	24.23

•

TABLE II.—Summary of Monthly Death and Birth Rates during 1904.

1904,		Death Rates North of the Railway.	Death Rates East of Linthorpe Road.	Death Rates West of Linthorpe Road.	Deaths in Public Institu- tions	Total Deaths.	Monthly Death Rates for Borough.	Births.	Monthly Birth Rates for Borough.	Monthly Death Rates corrected by eliminating Deaths of Non- Residents.
January		22.52	15.21	18.16	32	155	18.87	325	39.56	17.89
February		27.53	17.27	16.46	27	143	19.17	266	35.79	18.46
March		36.52	15.59	19.35	39	173	21.05	410	49.92	20.82
April		26.41	18.81	15.84	21.	148	18.61	277	34.86	18-49
May		31.83	11.52	15.09	22	137	16.68	306	37.25	16.56
June	• •	28.92	13.82	15.60	19	140	17.61	292	36.73	16.98
July		28.72	11.87	12.27	24	124	15.10	293	35.67	14.72
August		41.93	16.35	21.96	23	194	23.62	270	32.88	23.25
September		33.74	16.13	18.76	22	163	20.51	278	34.97	20.25
October		25.62	16.70	16.52	18	153	18.62	308	37.50	18.01
November		36.91	20.74	19.02	26	181	22.77	300	37.75	22.39
December		43.52	20.80	23.60	30	217	26.42	264	32.15	23.80

TABLE III.—Monthly Births and Deaths for 1904.

В	IRTHS DUR	ING 1904.		DEAT	HS DURING	1904.
Months.	Male.	Female.	Totals.	Male.	Female.	Totals.
January	173	152	325	88	67	155
February	133	133	266	77	66	143
March	257	153	410	104	69	173
April	141	136	277	85	59	148
May	149	157	306	79	58	137
June	160	132	292	90	50	140
July	158	135	293	80	44	124
August	136	134	270	109	85	194
September	150	128	278	94	69	163
October	146	162	308	83	70	153
November	154	146	300	103	78	181
December	137	127	264	108	109	217
	•					,
Totals	1,894	1,695	3,589	1,100	824	1,928

1,928 Totals ಣ Public Institutions 4th Quarter. ∞ North of Railway West of Linthorpe Road ∞ JO East of Linthorpe Road Public Institutions 3rd Quarter. CJCJ North of Railway CJ West of Linthorpe Road East of Linthorpe Road Public Institutions Quarter. C) North of Railway CJ ∞ West of Linthorpe Road 2ndEast of Linthorpe Road ~ $^{\circ}$ CJ Public Institutions Quarter. North of Railway West of Linthorpe Road CJ \Im East of Linthorpe Road rs and under 15 years 15 years and under 25 years 25 years and under 65 years 5 years and under 10 years and under 5 years AGE PERIODS l year of age 65 years and over l year 10 year

TABLE IV.—Summary of the Ages at Death in the Four Quarters of 1904.

TABLE V.—Deaths in Public Institutions of Middlesbrough during the year 1904.

Institutions.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Totals.
The Work-													
house	21	17	25	16	14	16	15	14	12	. 11	17	22	200
Infirmary	10	8	8	4	8	3	6	6	8	7	7	7	82
Sanatorium	1	2	6	1		• •	3	3	2	• •	2	1	21
TD ()											0.0		
Totals	32	27	39	21	22	19	24	23	22	18	26	30	303

119 44 were Non-residents.

48 of these were removed from East of Linthorpe Road. 92 ,, West of Linthorpe Road. North of the Railway.

303

TABLE VI.—Notifications received from Medical Practitioners during the various months of 1904.

	MON'.	ГН		Small Pox	Scarlet	Diphtheria	Enteric	Continued	Typhus	Puerperal	Mem. Croup	Erysipelas	Totals
	January		• •	2	21	10	7					10	50
	February			5	22	11	8		1			4	51
	March			• •	29	8	5			2	1	6	51
	April			1	23	2	4			1	1	4	36
	May				24	. 6			• •	• •	• •	5	35
	June			• •	30	7	5				• •	4	46
	July			1	40	4	1			• •	• •	4	50
	August				66	5	3			1		4	79
	September		• •		64	6	17			1	• •	6	94
	October			• •	127	6	8					10	151
	November		• •	3	93	10	4		• •	• •	1	15	126
	December	• •		3	73	4	5			2	1	10	98
_							-						
	Tot	als	• •	15	612	79	67	• •	1	7	4	82	867

TABLE VII.—Showing the Wards in which Notifiable Diseases occurred during 1904.

WARD			Small Pox	Scarlet	Diphtheria	Enteric	Continued	Typhus	Puerperal	Croup	Erysipelas	Total
Ayresome			1	162	9	4			1		13	190
Acklam			3	71	8	6			• •	• •	4	92
Cannon				39	2	6			2	1	6	56
Cleveland			• •	24	3	8			1	• •	7	43
Exchange			1	34	7	8					8	58
Grove Hill				86	12	10	• •			• •	8	116
Linthorpe			• •	83	2	1	• •			• •	4	90
Marsh			5	22	20	6	• •	1	1	• •	14	69
Newport			4	79	7	14	• •		1	2	9	116
Vulcan			1	12	9	4	* *		1	1	9	37
Total	s	• •	15	612	79	67	• •	1	7	4	82	867

TABLE VIII.—Deaths from the principal Zymotic Diseases during 1904.

Diseases.	East of Linthorpe Road	West of Linthorpe Road	North of Railway.	Public Institutions.	Totals.
Measles Scarlet Fever	2	5	16	1 6	39 11*
Diphtheria Enteric Fever	3	2 4 5	3	4	14*
Diarrhœa	16	89 11	34 7		139 25
Totals .	46	116	63	21	246

^{*}Including deaths of Non-Residents.

TABLE IX.—Showing the number of Enteric Fever Cases and the various Wards in which they occurred during the year 1904.

MONT	Н	Ayresome	Acklam	Cannon	Cleveland	Exchange	Grove Hill	Linthorpe	Marsh	Newport	Vulcan	Total
January		2		1	• •		2		1	1		7
February				3.			3		1	1		8
March					1		1			3		5
April		. 1	1		1		1			• •		4
May	• •	Nil.			• •		• •					Nil.
June	• •		1	1					1	1	1	5
July	• •					• •				1		1
August	• •	1			1					1		3
September	• •		2		1	7	1	1	• •	4	1	17
October	• • • •		1		2	1	1		1		2	8
November	• • • •		1	* *	2		• •			1		4
December	• • • •		* *	1		* *	1	• •	2	1		5
То	tals	4	6	6	8	8	10	1	6	14	4.	67

TABLE X.—Showing the number of Enteric Fever Cases in the various Wards and the kind of Closet in use.

		WARDS	•			Ashpits.	Ashpans.	W.C.'s.	Totals.
1	Ayresome						3	1	4
£	Acklam				• •	1	4	1	6
(Cannon					2	4		6
	Cleveland					3	5	• •	8
1	Exchange				4 •	6	1	1	8
(Frove Hill					• •	8	2	10
1	Linthorpe			• •				1	1
I	Aarsh						4	2	6
1	Newport	• •			• •	1	13		14
V	ulcan					4	• •		4
		Totals	• •	• •	• •	17	42	8	67

44 33 19 slatoT -Showing Causes of Death and Ages at Death of Persons dying in the Borough, but not belonging thereto. ${\rm silidq} \chi S$ Apoplexy Disease of Arteries Enteritis Meningitis Cancer 3 Other Tubercular Diseases Phthisis 4 4 ೦೦ Heart Dizease Rheumatism Scarlet Fever Bright's Disease Stricture of Grophagus \mathcal{C}_{J} ಯ Diphtheria Accidental Injuries egA blO 12 ೧ Marasmus, &c. ೧೦ Bronchitis CJ ಣ Pneumonia Nephritis Appendicitis X 10 years 15 and under 25 yrs. 25 and under 65 yrs. 10 and under 15 yrs. 5 years BLE over AGE PERIODS Totals 65 years and Under 1 year I and under 5 and under

44 Total Leith Sunderland Stockton Newcastle Guisbrough... Skelton Normanby ... Grangetown West Hartlepool Redcar Belonging to the following Places:-South Bank Eston Thornaby ... North Ormesby

C) 30 50 C) <u>-1</u> Totals Bronchitis Malformation Congenital Hæmorrhage TABLE XII.—Deaths of Residents occurring in Public Institutions outside the Borough. Diabetes Necrosis Intestines to essesia Abscess Bright's Disease _ Empyæma Urinary System to essesid Disease01 Tubercular Heart Disease CI ೪ Pneumonia Appendicitis CV. Cancer zəimin1 ೧೦ 4 Accidental \vdash Dermoid Cyst Pericarditis 3 CJ **Phthisis** CV Melancholia C) Epilepsy CA of the Insane General Paralysis Disease <u>-</u> ∞ Organic Brain Senile Decay 9 30 10 and under 15 years 15 and under 25 years 25 and under 65 years AT DEATH 5 and under 10 years l and under 5 years and over Totals year Under 1 65 years

TABLE XIII.—Vital Statistics of Whole District during 1904 and Ten Previous Years.

	dle	BIRTHS. DEATH REGISTERED Net Net Strict District Oistrict Oistrict District District District Oistrict District District Oistrict Oist						Deaths				
	to mid				l Year Age	At al	l Ages	nstitut	idents stitutio	ints stitutic rict	belong	ging to
YEAR	Population estimated to middle of each Year	Number	.Rate*	Number	Rate per 1,000 Births Registered	Number	* Rate	Total Deaths in Public I	Deaths of Non-Residents Registered in Public Institutions in the District	Deaths of Residents Registered in Public Institutions beyond the District	Number	Rate,
1	2	3	4	5	6	7	8	9	10	11	12	13
1894	83,399	2,637	35.76	381	144	1,449	17.65	162				• •
1895	84,962	2,758	32.91	536	194	1,615	19.31	217				
1896	86,991	2,747	31.70	467	170	1,686	19.64	183				
1897	88,124	2,956	33.35	509	172	1,706	19.16	197				
1898	89,246	2,904	32.52	566	199	1,967	22.04	369				
1899	93,515	3,130	33.45	575	183	2,058	22.00	269	33	49	2,074	22.17
1900	97,007	3,343	34.46	663	198	2,407	24.81	337	39	72	2,440	25.15
1901	91,317	3,328	36.44	657	197	1,995	21.84	262	40	45	2,000	
1902	93,354	3,370	36.09	616	182	1,912	20.48	309	45	45	1,912	20.48
1903	95,013	3,489	36.72	650	186	2,072	21.80	282	52	49	2,069	21.77
Averages for years 1894-1903.	90,292	3,066	34.34	562	182	1,886	20.87	258	41	52	2,099	22.29
1904	96,684 Rates in	3,589	37:12	612	170	1,928	19.94	303	44	50	1,934	20.0

*Rates in Columns 4, 8, and 13 calculated per 1,000 of estimated population.

Note.—The deaths to be included in Column 7 of this Table are the whole of those registered during the year as having actually occurred within the district or division. The deaths to be included in Column 12 are the number in Column 7, corrected by the subtraction of the number in Column 10 and the addition of the number in Column 11.

By the term "Non-residents" is meant persons brought into the district on account of sickness or infirmity, and dying in public institutions there; and by the term "Residents" is meant persons who have been taken out of the district on account of sickness or infirmity, and have died in public institutions elsewhere.

The "Public Institutions" to be taken into account for the purposes of these Tables are those into which persons are habitually received on account of sickness or infirmity, such as hospitals, workhouses and lunatic asylums.

The following Institutions within the district receive sick persons from outside the district, viz.:—The North Riding Infirmary and the Corporation Sanatorium for Infectious Diseases.

The Institutions outside the district receiving persons from the district are the North Ormesby Cottage Hospital and the Cleveland Asylum. The Union Workhouse is in the district.

TABLE XIV.—Vital Statistics of separate Localities in 1904 and previous years.

						- 10		- 75			
	\mathbf{R} d	Deaths under Lyear	d.	224	227	314	e Rd 373	332	370	306	336
		Lis ts anteed segA	ပ်	574	638	903	Lint horp 1043	948	1085	865	912
	Boun	Births registered	b.	•	•	*	Lint	•	•	•	
	West of Boundary	Population esti- mated to middle of each year	a.	29,976	32,153	34,415	West of 47,095	48,256	48,953	40,141	49,869
	Road	Deaths under l year	d.	200	205	233	e Rd 143	173	155	184	144
	ary F	Ils ts sitsed RegA	ပိ	663	681	853	horp 507	534	521	626	528
	Boundary Road	Births registered	b.	•	•		Lint horp	•	•		•
	East of E	Population esti mated to middle reach Year	a.	41,428	43,503	44,733	East of 29,083	29,956	30,918	36,603	31,673
	÷	Deaths under Lyear	d.	131	138	117	127	109	120	123	128-
	ailwa	Deaths at all segA	ပ်	368	470	578	450	430	451	457	494
ı	of Ra	Births registered	b.		•	•	•	•	•		:
	North of Railway.	Itse noitslugod mated to middle raex dash to	g.	17,842	17,859	17,859	15,139	15,142	15,142	1,497	15,142
		Deaths under Lyear	d.	568	575	663	657	919	645	620	809
	rict.	Ils ta stitseU segA	ပ်	1,967	2,074	2,440	2,000	1,912	2,069	2,077	1,934
	Whole District.	beretsiger shrift	b.	2,904	3,130	3,340	3,328	3,370	3,489	3,260	3,589
	Wh	Population esti) mated to middle ach Year	ස	89,246	93,515	97,007	91,317	93,354	95,013	93,242	96,684
	Names of Localities.	YEAR		1898	1899	0061	1901	1905	1903	Averages of Years 1898 to 1903	1904
										I .	l

Deaths of residents occurring in public institutions beyond the district are included in sub-columns a of this table, and those of non residents registered in public institutions in the district excluded. (p)

Deaths of residents occurring in public institutions, whether within or without the district, are allotted to the respective localities according to the addresses of the deceased. (c)

TABLE XV.—Cases of Infectious Diseases notified in Middlesbrough during the year 1904.

Infectious		Cases	IN WE	OLE D		CT.		NOTIF	AL CASI	ACH	REMO	al Casi ved fr Distri	OM
DISEASE.	At all Ages	Unde r						Е.	W.	N.	E.	W,	N.
Small-Pox	14	• •	1 3 10						1 8		1	8	5
Scarlet Fever	612	8	182	378	31	13		189	399 24	24	125	353	21
Enteric Fever	67		4	19	18	25	1	22	38	7	9	22	3
Diphtheria	79	3							28	23	8	5	9
Membranous Croup	4	1	3	• •		u •			3	1			1
Puerperal Fever	7			• •	4	3		1	5	1			
Erysipelas	82	2	• •	9	13	53	5	23	29	20			
Typhus Fever (doubtful)	1	· • •		1	• •					1			1
Small-Pox (doubtful)	1	••							• •	• •	1	• •	
Totals	867	14 213 448 74 112 6						265	520	82	144	388	40

⁵⁵⁷ Cases removed to the Sanatorium.

¹⁵ Cases of Small-Pox removed to Hemlington.

TABLE XVI.—Causes of, and Ages at, Death during Year 1904.

	Deat	ths in w	hole D	istrict a	t subjo		ges.		in Loc		Public ions
CAUSES OF DEATH.	All Ages.	Under 1 Yr.	1 and under 5	5 and under 15	15 and under 25	25 and under 65	65 and upwards	East of Linthorpe Road	West of Linthorpe Road	North of the Railway	Deaths in Pub Institutions
Small-Pox Measles Scarlet Fever Whooping Cough Diphtheria and	39 10 25	7 12	31 6 12	1 3 1	· · · · · · · · · · · · · · · · · · ·	• •	• •	17 4 7	5 6 11	17 ·	1 6
Membranous Croup Croup Typhus Enteric	11 5	2	4 5	5	• •	• •	• •	3 1 	4 3 ···	4 1 	4
Fever Other continued Epidemic Influenza Cholera Plague	18 4 	• •	1	3	7	5 3	2 1 	3 1 	11 2	$egin{array}{cccccccccccccccccccccccccccccccccccc$	10
Diarrhœa Enteritis	139 57 4 1	109 37 	29 14 	1 	1 3	··· 2 1 1	$\begin{array}{c} 1 \\ 2 \\ \cdots \\ \end{array}$	16 19 	89 25 4	34 13 	 3
eases Phthisis (Pulmon- ary Tuberculosis) Other Tubercular	5 124	1	· · · 5	1 10	2 24	2 80	$rac{\cdot \cdot}{4}$	2 41	51	32	2 16
Diseases	$ \begin{array}{c c} 96 \\ 71 \\ 107 \\ 265 \end{array} $	34 33 64	36 19 79	14	3 1 16	50 32 85	$ \begin{array}{c c} 1 \\ 20 \\ 23 \\ 12 \end{array} $	$ \begin{array}{c c} 18 \\ 22 \\ 36 \\ 71 \end{array} $	32 45 116	21 17 26 78	5 16 13 28
Pleurisy Other Diseases of Respiratory Organs Alcoholism	8 23	2	1	3	1	10	7	3	3	3	1 3
Cirrhosis of Liver \(\) Venereal Diseases \(\) Premature Birth \(\) Diseases and Accidents of Parturi-		13 57	1			12	1	$\begin{array}{ c c }\hline 3\\2\\14\\ \end{array}$	6 9 36	7 5 7	2 1
tion Heart Disease Accidents Suicides	131 53 3	1 1 5	6	8	3 4 5	9 85 27 2	37 2 1	4 45 15	5 56 18 3	$\begin{array}{c} 4\\30\\20\\ \vdots \\ 160\\ \end{array}$	$ \begin{array}{c c} 2 \\ 24 \\ 27 \\ \vdots \\ 120 \end{array} $
All Causes	. 1934	608	304	88	85	162 581	268	528	$\begin{array}{ c c c c c }\hline 302 \\ \hline 912 \\ \hline \end{array}$	494	303

1904.
YEAR
THE
FOR
DEATHS
OF
RETURN
XVII.
ABLE

S	Grand Total		36	11 14 25	18	Ġ	80T	17	H 70	41		õ
200	Total.		F	° ⊙ ⊕ :	10:		•	H	:01	:		•
	65 Yrs. and upwards.		•	• • •	- :		•	•	• •	•		•
ns.	under 65.		•		4:		•	•	• •	•		•
utio	under 25. bns. snd		•	• • •	•			•	• •			
stit	bas .siY &1		•	• • •	4:		•		•	•		•
Public Institutions.	bns. srY 01 .31 rebnu		•	• • •	•		:	•	•	•		•
ldu	5 Yrs. and under 10.			c1 - :	H :			•	• •	•	_	•
	under 5.			ကက •	•		•	•	• •	•		•
	onder rer.		•	•	•		•	•	• •	•	Minimize Tea. Tea.	•
	Total. Under l. Yr.		9	- m ►	⊟ .		4 4).O		•		4
	upwards.		F-1	•			TO.		•	•		
	bas, six 60		•	• • •	• •	_, -,	:	•	• •	•		:
vay.	25 Yrs, and under 65.		•		• ===		•	•	• part)	:		41
Railway.	lā Yrs. and under 25.		•			•	•	•	• •	•		•
of	under 15.		•	•	pand o		•	•	•	•		•
North	has salve 10.		·				•	•	•	•		•
Z	bns.srY &			•	• •		•	•	•	•		•
	has ry l	R	41	• • pared			7	•	• •	•		•
-	Under 1 Yr.		ات ا	<u> </u>	ाः ।		77.7	0				•
	Total.			W 4 H	#2 CA	(68 	03	:0	41		•
t of	65 Yrs. and upwards.		•	• • •	•	7			• •	•		•
-West of	under 65.		•		-62		•	—	•	-		•
l l ö	under 25.			P=4 • •	Ø ·		•	•	. pres	ಣ		•
lwa	los signaturas properties		•	• •	Ġ		•	*	•		Control of the second of the s	•
of Railway- Linthorpe R	10 years and under 15.		•				•	•	• (•		•
	5 Yrs, and under 10.		•	• - •	• •			•	• (•		•
South	under 5.		ಣ	- c3 \omega	* *		14	•	•			•
	Under 1 Yr.		S	· - e			74	-1	•	•		•
	Total.		[~	•	:		167	Ó	and the second second second	•		-
4-1	sbrawqu		i i i i i i i i i i i i i i i i i i i		•		•	•		•		
t o	bns. srY 30				•		•	•	•	•		•
East of	25 Yrs. and under 65.		•	• • •	• •		•	•	-	•		
Rose R	.62 rebnu						•	•	• •	• •		
ailw	bns .srY 31		•	— · ·	• •		•	•	•	•		•
of Railway Linthorpe R	under 10. bns. srY 01		•	• •	• •		•	•	•	•		•
South C	bas say a		•	: 63 :	• •		•	•	• •	•		•
Sol	l Yr. and s. d.				• •		ಣ	-	• •	• •		•
	Under 1 Yr.		4	: : 4	• •		<u>ಜ</u>		•			•
	OF DEATH.	Specific, Febrile, or Zymotic Diseases.	IC DISEASES.	Scarlet Fever (Scarlatina) Diphtheria Whooping Cough	Enteric or Typhoid Fever	SAL DISEASES.	Diarrhea, Dysentery		SEPTIC DISEASES. -ErysipelasPvæmia, Septicæmia	Puerperal Fever	c Diseases.	Chronic Alcoholism, Delirium Tremens
		ecifi	MIASMATIC -Measles	Scarlet Fevtina) Diphtheria Whooping	Enteric of Fever Influenza	DIARRHŒAL	rhoe	-Syphilis	EPTIC DISI- Erysipelas Pvæmia, S	rper	II.—Dietic	nic
	CAUSE	-Sp	IAS	Scarle tina) Dipht Whoo	Ent Fe	IAR	Dia	Sypi	EPT. Srya	Pue		Chre
	CA		M .			D			92	ğ.—I	1946) I

Return of Deaths—continued.

S	IstoT basab		⊢ 1	ю н с	· · ·	69	25 123	52	ಣ	4	63		57	15
	Total		• p		:	တ် :	16	4	•	•	•			73.3
	bns. srY 59 sbrswqu		• *	•		ಣ :	•	p		0				:5
sions.	S5 Yrs. and and and and and an and an and an		•	• •		13	:27	-	•		•		• •	15
Institutions	bns. srY 31 32 rebnu		•			• •	: က	_	•	0	•			
	bns. srY 01 31 rebnu		0	• •	•	• •	• •	•	0	•	•			
Public	5 Yrs. and onder 10			• •	•		• •	•	•	0	•			• •
	bns. aY l 3 rəbnu		•	• •	•		:	H	•	•	•		• •	• • •
	Under I Yr.				:	: :		:	:	:	•		: :	eo :
	IstoT		• •	<u> </u>	:	10	23.52	10	:	r-4	•			C1 00
	bns .srY 33 sbrawqu		• *	- :	•	9:	: =	•	•	•	•		• •	-1:
Railway.	25 Yrs. and condense of the same of the sa		•	• •	•	4:	:22	ಣ	•	0	•			: =
	15 Yrs. and				•		: 01	•	•	•	•		• •	
th of	bns.srY 01 31 rebnu		•		•		: ന	•	•	•	•			: :
North	bns.srY & 01 rebnn		•		•		: -	4	•	•	•			::
	bas. 1Y l 3 reban		:				· 60 –	-	•		•			
	Under l Yr.		•		:	: 4	C/ :	CJ	•	:				0.1
	[stoT			<u></u>		25. 8	12	35	-	ಣ	67		36	8 42
-West of	bns .srY 33 sbrawqu		•		•	ಣ :	: 03	•	•		gazzeti		• •	.: 13
-Wes	bns.sıY &2 &3 rəbnu		• ,	:	•	22	. 53	70	•	©1				. 20
way—W	bns. srY 31 32 32 32 32 33 34 35 35 35 35 35 35		_	• •	•		10	63	•	•	•			• •
of Railway-	lo Yrs. and date is a second s		• 1	- :		: :	: 67	63	-				• •	: :
h of Lin	bns.sıY č 01 rəbnu		•		•			4	•					::
South	bas. ay 1 3 aban		0		•	: =	တက	11	•	*	0			
	Under l Yr.		•	• • •	—	. 1	कः :		•	•			36	· ·
-	IstoT		• /	(CV	18	38.7	ಣ	S		:		4 :	27
t of	brs. srX 59		•		•			•	_	*				24 2
-East	. cg aəpun		•	: -	•	F 4 .	. 50			•				: m
ay-			• 1				:∞			•	•			
th of Railway-	der 15 Yrs. and bras. and		•		•		: m			•	•		• •	• •
of	or and or		•	• •	•		- ·	_	•	•	•			
South	g aəpun		•		-	· ••	<u>ت</u>		•	•			• •	
	Under I Yr.		•	• •		: co		_		•	•		14 .	<u></u>
	. •		ı u :		•	: :	us	:	1		. es.			- : :
	H	=	Fever natism		ant	ica	nin- ha.]	ılar ous	S	osis	bet	<u>~</u>	Ч	iori
	EAL	ona	Fe nat		·	·	Men cep	reu fulc	esis	lore	Diak 	nt	irt	Aalf
	DEATH.	utic	eur ear	sm.		Sen	r I	Tubercular Scrofulous	Hæmorr-athesis .	Chl shæ	Д,	me	9 rs	2
		-Constitutional	Rheumatic Fever and Rheumatism of the Heart .	Rheumatism Gout.	Rickets Cancer Walionant	Disease Tabes Mesenterica.	Tubercular Menin- gitis, Hydrocephalus Phthisis	- 00 &	urpura, Hæmo hagic Diathesis	Anæmia, Chlorosis, Leucocythæmia	Glycosuria, Diabetes, Mellitus	-Developmental Diseases.	Premature Birth Atelectasis	Congenital Malformations Old Age
	CAUSE OF	Constitu Diseases.	um []	um	Rickets	Disease Tabes M	Tubercu gitis, Hy Phthisis	other Tu and So Diseases	Purpura, hagic Di	mi	lycosuri Mellitus	eve	nat	Congenitations ations
	SE	-G	Sheun and of the	RheuGout	ick	Dis abe	ube itis hth	other and Dise	urk	næ	lyc Vel	٥	ren tele	ong atric
	D .		-R	1-12-15-15-15-15-15-15-15-15-15-15-15-15-15-	1 T			0-	4	A-A	5		-Pi	Ŭ " O
	Ö	-		01.65	4, 73	6.	 	9.	10.		12.	2	1.7	ಲ್ಲ 4 <u>;</u>
1		*							-		possid			

Return of Deaths—continued.

			1			4	:3						
	slæ	stoT basaD		67	6.0	101	, m	ಣ	4	ಣ	31 5	4	1
		TROOT		4.	7	-		•		•			
		upwards					• •	•	•	•	:42		
		bas. srd 69		•	0		• •	•	•	•			:
	ν.	gg rebnu											
	Institutions	25 Yrs. and		10	C)		• •	•	•	•	188	-	
	uti	da aban											
	tit	I5 Yrs. and		•	•		•	•	•	•	• • •	•	
	Ins	gl rebnu		67									
		lo Yrs. and	İ		•	•	•	•	•	•			
	Public	ol rebanı		<u> </u>		•	• •			•	9 9	•	•
	Pu	bns. srY &			•	•	• •	•	•	*		•	٠
	1	g rəbnu	,	•	•		• •	٠	•	•			
		bas. 1 Xr.		·					•	•	* * *	•	•
		Under 1 Yr.		0	ಣ				•			:	
		Total		1(• =			•	•	23:	:	
		nbwards		•	C3	•		•	•	:	: 63	:	
	z	bas. srd	l				- N NO -						
	ay	25 Yrs. and under 65	 	CJ	•	: -	•		•	•	: 8 07	•	
	Railway.	da say 36	l										
	Ra	bas.sıY &l		•			•	•	•	•	: - :	•	:
	of	gi aepun				<u>-</u>							
		bns. srY 01		:	•	•		•	•	•	: - :	•	:
	North	under 10			•					•			
	No	5 Yrs. and		,	•	•				*	: : :		
	,	g rebnu		9		: 2				•			
		l Yr. and			•		٠	٠	٠	•		•	
		Under 1 Yr.		_	:	: 7	•	:		•			
	A1 1 A1	IstoT		29	23	$\frac{1}{24}$	_	\vdash		67	1 2 2	•	
	of	upwards		•	10	•	•	•		•		•	•
		bns. 21X 60		•		• •	•	•	•	•	• ====	•	•
	-West ad.	39 rəbnu		4	13		•				25:		
	y—W Road	25 Yrs. and					•		•	•	• 61	•	•
	R	gg Japun		•			•	•		•	. 2	•	
	Railway- thorpe R	bas. and											
	of Railw Linthorpe	di rebnu		_	•		•	•	•	•		•	•
	f F ntk	bns. sry 01											
	of Lin	bns .srY 5 01 rebnn			•	: —	•	•	:	•	: - :	•	Ţ
	South	g aəpun											
	So	I Yr. and		10	•	: 60		•		6.7		:	•
		Under I Yr.		13		20	•	:	•	•		•	•
		LatoT		7	67	. 9	•		60		188 :	9	4
	J.	sprewqu								<u> </u>			
	jo ć	bns .sry 59		•			•	•	•	•	12:	•	.]
	-East	gg rebnu		67	9				ಣ	•	H # •		ಣ
	ad.	25 Yrs. and				• •	•			•	24		
	ay—E Road	da rebnu		•	•		٠	٠	•	•		•	•
	Railway thorpe R	l5 Yrs. and		•	•	•	•	•		•	• • •	•	•
1	sail orj	di reban		•		: =		•	:		:	:	
		bns. and											
	n of Lint	01 reban		•	•		•	•	•	prod	• • •	•	:
İ	South	bns. six 6											
	So	bns.rY I 3 rebnu		ũ	•	: က	•	•	•	•	: = :	•	
					•	: =	•	0	•	•		•	
		Under 1 Yr.			ದ್ದೆ :	•			•	•		•	
		H	-	rai ing	ige.	• •	ult s).	ase	i .	E. E.	1	t of	7
- [E	es.	RV(f B)			rid tti		8	Organ Sense. es and	art)	
		OF DEATH.	Diseases	NE no nes	ame lys		SSt Glo	orc	rst 7st	S. S. S. S. S. S. S. S. S. S. S. S. S. S	CIRCU-sTEM Heart Throm	Diseases	Vessels
		A	Dis	tio tio	H,	ns	nus of Ao		S S	OF AL Ey	SYS fis of	4	ess
		OF		na ma mk xy	Lin, Pe	Sy	risr	olegina na	ous	ES FCI Br,	rdi rdi es es		
			-Local	DISEASE OF NERVOUS SYSTEM. Inflammation of Brain or Membranes -Apoplexy, Softening	of Brain, Hemipl Brain Paralysis	Epilepsy Convulsions	LaryngismusStridulus (Spasm of Glottis)	Paraplegia, Disease of Spinal Cord	Nervous System	DISEASES OF ORGANS OF SPECIAL SENSE. –(e.g. Ear, Eyes and Nose)	DISEASES OF CIRCU- LATORY SYSTEM. -Pericarditis -Diseases of Heart -Aneurism -Embolism, Throm	bosis	Blood
		CAUSE		SE. YS. Or Or	of. Br	pil on	(Sl	Pa of	Ne	ESE.	ISE LAT Per Dise Ine	bo M:h	B
		JAI		Dr. S. Lh.		国 ロ ロ ロ	7	1		A°°			
		0		H H 61		に 1 1	5 6	· ·		ci -i	은 <u></u> 다양 4	7.0	
-													

Return of Deaths—continued.

tals	oT busad		5 109 265 8 8 11		111 177 58 7	11	∞	16	ତ ୀ
	Total		$\frac{1}{2}$:: 67	H (3)	CI	10	
	brs, and brs. and brands		: : : : : :			: -		•	:
ons.	gg rebnu				:: -:		•	∞	•
Public Institutions	Saraban bna .sr Z 32		: :: : : : : : : : : : : : : : : : : : :				Ç1	-	:
Insti	under 15				: : : =		•		•
blic	under 10 trs. and						•	•	
Pu	d rebnu bns. srY d					• •	•	•	•
	I Yr. and				: : : :	• •	•	•	•
	Under 1 Yr.		· · · · · <u></u>		<u>- 0 6 0 </u>	• 67	-	-	
1	Total		1 200 1 20 1						
	bas, sard day upwards		::00 :: —			: –			•
ay.	S5 Yrs. and				: 03 : 1	: -	•	•	:
Railway.	under 25				: : - :		•	•	:
	der 16. and bin and bin sing bin and bin sing like and bin sing bi		: : : - : : :			• •	•	•	•
North of	under 10 lo Yra, and		::: : : :				0	•	•
Z	d rebnu bns ,srY d		ー・む 44 ・・・・			• •		•	•
	bns.1Y 1					• •	•		•
	Under I Yr.				1 : 2 - 1		4	<u>5</u>	
	Total				10 25 1	1	4		-
t of	65 Yrs, and strain and	1	: :I		: -: :	: 03	•	*	-
-West of	gg aəpun		31		: 63 : :	14		4	:
	der 25 Yrs, and		9				•		•
South of Railway- Linthorpe Re	dragar 15 bna sand		:::::		: : - :		•	•	:
of E	under 10 bns, snd		: : : : : :			• •	•	•	
uth	drs, and				4070 ·	• •		•	•
N.	I Yr. and		8 : 9 2 6 : :		•	• •		•	•
	Under I Yr.		32.5		6 5 19 1		C3	•	:
	Total		L L 4 C 6 4 C		:07:0	27 -	_	•	:
of	65 Yrs. and upwards		: : : :		: : - :	,	•	•	•
East of	25 Yrs. and nader 65		4 2 7 7	-4	:-00		•	•	•
Re	gz rebnu		:::4-::		: : : : : : :	• •	•	•	:
of Railway- Linthorpe Ro	dragaria dragaria dragaria		: : : = : : :			0 0	•	•	•
R	bns.srV 01								
South of Lint	bns .erY & 01 19bnu		: : : 27 : : -		: : :		•	•	•
Sou	bns 189Y I 3 19bnu		$\begin{array}{cccccccccccccccccccccccccccccccccccc$: :03 :		•	•	:
	Under 1 Yr.		133		: 2 :			•	
			Asthma ses of System	1		D	ier of		cs
	H	TIR	thi of	EE S	tomach	ir th	72 72 73	em MP	ati
	'A'	EST M.	As As Sys	Oig	anc	ive		rste	M. ph n)
	DE	THE THE	a, eas	F I	Sto	nes f L	anc of 1	S	Lymph Spleen)
	<u> </u>	OF	itis iitis onia y rsema, Asthn Diseases of ratory Syste	O	of of sis	stii	e s es c Dis	ive	SYS Ly Sp
	0	SE N	ngid	SES SY	itio Se itii	nte osis	asse.	esti	of of
	CAUSE OF DEATH.	DISEASES OF RESPIRATIORY SYSTEM.	Croup Earyngitis Prounding Pleurisy Emphysema, Asthma Other Diseases of Respiratory System	DISEASES OF DIGESTIVE SYSTEM.	Dentition Disease of Stomach Enteritis Peritonitis	of Intestines Cirrhosis of Liver	Diseases of Liver-Other Diseases	Digestive System DISEASES OF LYMP-	HATIC SYSTEM. -(e.g. of Lymphatics and of Spleen)
	D) ISI	Cr. Cr. Cr. Cr. Cr. Cr. Cr.)IS: TIV	O HA	S. S. F.		I	H-(e.g
	C/								
1		4	100045007	ıċ	다 Ci Si 4i A	., © [$\dot{z} \propto$	9	

slad	or Grand To	19	10	9	∞	4 0	c1 —	10).O	ಣ	10
	Total	4	_	ಣ	4	• •	• •	C)	•	•	:
	bns.srY 30 sbrswqu	6.1		ಣ	_	• •	• •	•	•		:
ons.	25 Yrs. and under 65	6.1	•	•	က	• •	• •	. 07	•	•	:
Institutions	la Yrs. and stand stand stands and stands st	•	•	•	:	• •	• •	: :	•	•	:
Inst	gl rebnu	•	•	•	•	• •	• (0	•	•
Public	or researed bins, and	0	•	•	•	• •	•	• •	•	0	
H.	bnder 5	•	•	•	•	• •	•		•	•	•
	bna rr. and	•	•	•	•	• •	•	• •	•	•	•
	Under 1 Yr.	<i>10</i>	•	<u>C.1</u>		• •	-	(2)	62	•	- :-
	upwards Total		•			• •		•		•	•
	bns. six 30	•	•		•	• •	•	•	•	•	•
Railway	bns.srY 52 30 rebnu	4	•			• •	-	. (3)		•	•
Rai	bns.erY 61 62 rebnu	•	•	•	•	• •	•	• •		•	•
to di	bns. srY 01 31 rebnu	•	•	•	•	• •	•	•	•	•	•
North	5 Yrs. and under 10		•	0	•	• •	•	• •	•	•	•
	l Yr. and car 5		•	•	•	• •	•	• å		:	:
	Under 1 Yr.	•	•	•	:	• •	•		•	•	•
	Total	9	9	-	•	• •	•		ಣ	63	4
t of	bns. 21 Z 30 sbras ds	-	_		•	• •	*	• •	•	-	•
West of ad.	So Yrs. and ander 65	ಣ	4	:	•	• •	•	• -	•	-	•
ay Ro	15 Yrs. and under 25	•		•	•	• •	•	· က	•	•	:
of Railway Linthorpe R	lo Yrs. and under 15	•	:	•	•		•	• •	H	•	•
of Lin	under 10	H	•	•	•		•	• •	67	•	•
South	bina in a moder 5 Sand	-		•	•	• •	•	• •	•	•	6.1
0)	Diner 1 II.	•	•	•	•	• •	•		•	•	C/J
	Under 1 Yr.	4	<u>.</u>	•	ش				•	•	
4	sbrawqu 			•				•	•		
t of	bas. srg. 33			•		• •	•		•	•	:
-East ad.	S5 Yrs. and under 65	_	67	•	67	:-	-		•		•
way—E	15 Yrs. and under 25	•	•	•	•	• •	•	• •	•	•	:
of Railway	lo Yrs. and lo Xrs. and lo Xrs. and	63	•	•	•	• •	•	• •	•	•	•
th of Lint	5 Yrs. and under 10		•	•	•		•	• •	•	•	:
Sout	g rebnu	•	*	•		• •	•		:	•	_
	Under l Yr.	:	•	•	•	-	• •	• •	•	•	•
		\(\times \)							•	J-	ф :
	H	AR	6	dde	#		n. Tria	of of		EGT M. Iliti	em
	3A7	JRIN	ase	Bla	s o	red us of	itic	nvu ents	Lo EM.	LNT TEN e, ellu	yst
	DEATH	D B	Disease, nuria	f 1	sase	OF REPRO SYSTEM. Organs of Generation. gans	rtur Mis	Cor Side h	OF LOC SYSTEM. Necrosis	SYS nel	ase y S
	OF		s I nin	0 H)ise ry 8	S O E S O C C C C C C C C C C C C C C C C C C	Pa,	ral Acc pirt	S. S.	ES (ıtaı
		ASE CEM	right's Dise Albuminuria	bisease of Bladdand and of Prostate	ther Diseases of Urinary System	TIV Oy	Of rtio	uerperal Co ther Accid Childbirth	ASE IVE es,	DISEASES OF INTEGU- IENTARY SYSTEM. 2. g. Carbuncle, Phlegmon Cellulitis)	orner Diseases of Integral Bystem
	CAUSE	DISEASES OF URINARY SYSTEM. Nephritis	Bright's Albumi	Disease of Bladder and of Prostate .	Other Diseases of Urinary System	DISEASES OF REPRODUCTIVE SYSTEM. (A) Of Organs of Generation. —Male Organs —Female Organs	(B) Of Parturition. Abortion, Miscarriage	Fuerperal Convulsions Other Accidents of Childbirth	DISEASES OF LOCO- MOTIVE SYSTEM. -Caries, Necrosis	DISEASES OF INTEGU- MENTARY SYSTEM. -(e.g. Carbuncle, Phlegmon Cellulitis	Other Diseases of Integrammentary System
	CA.	i i									
1		1	ાં	ಚ	4.	o,	i mid	ાં લ	, o); ;	N

Return of Deaths-continued.

	sls	toT based Tot			20 4 6 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9 6 9		<u>н</u> сл		120		- 4		_	4	1928
		IstoT			2 4			:	111	1	: -	•	•	1	303
		bns.srY 59 sbrawqu			• • • • •		• •	•	•	•		•		_	06
	zions.	25 Yrs. and ander 65			o : : − o		• •	•	•		: -		•	:	139
	Institutions	lö Yrs. and			— : : : : : : : : : : : : : : : : : : :		0 0	•	•	•	• •	•	•	•	20
		10 Yrs. and and and and and and and and and and			- : : : :		0 0	•		•	• •	•	•	•	-1
	Public	5 Yrs. and under 10			es : : : =		• •					•	•	•	11
		I Yr. and			10		• •	•	_	•		•	•	•	16
	ļ	Under 1 Yr.						•	10	•	• •	٠		•	20
		IstoT			.0 -1 .0		• •	:	26	•	: —	•		•	367
		bns.srY 58 sprawqu					• •	•	•	•	• •	•	•	•	59
	vay.	25 Yrs. and under 65			:4 : :70		• •	•	•	•		•	_	•	104
	Railway	lö Yrs. and under 25			: - : : -		• •	•	•	•			•	•	=
	orth of	bns.srY 01 61 rebnu				,	• •	•	•	•	: :	•	•	•	7
	Nort	5 Yrs. and of 10			: : : :		• •	•	•			•	•	•	13
		I Yr. and and and and and ander 5					• •		6.7	•		•	•	•	79
		Under 1 Yr.			• • • •			•	24	•	• ;	•	•	•	124
		IstoT			::0		-0		55	•		62	•	C)	792
	t of	65 Yrs, and upwards					: =	•	•	•		•	•	•	84
	-West	25 Yrs. and under 65			• • • - •			_	•	•			•	•	189
	P.A.	la Yrs. and under 25					• •	•	•	•		•	•	•	34
	of Railway. Linthorpe R	ors. and lander 15					• • • •	•	•	b •		•	•	•	13
	of Lin	5 Yrs, and or 10	•					•	•	•		•	•	•	16
	South	TY: and index 5						•	ಣ	•		•	•		59
		Under I Yr.			::0:-		• •	•	52	•		0.1	•	0.1	27 1
		IstoT			: : - : 10		• •	o	28	• •	- c1	10	•	Н	4663
	of	sbrswqu		,			b •	0	_	* ;	•		•	-	77 4
	East, d.	gg aəpun			• • • • passed		• •		•	•	. —	ಣ	•	•	31
	08	ander 25 and bases and 25 Yrs. and						•					•	•	16 1
	of Railway	birs. 211 of and birs. 214 of b					• •	•	•	•			•	•	01
	of R Linth	or representation of the state			: : : : : : : : : : : : : : : : : : : :		• •	•	:	•				•	10
	South	bnder 5					• •	•	•			•	•	•	81
	02	Under I Yr. and I Yr.					• •	0	27	•		C.J	•	•	141 8
			and the state of t	A C 10 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				1 6		•		• 0	<u>. +5</u>		-
İ		DEATH.			lries			from III- Specified	phy,			921189)	not		
		OE4	4	NEG-	Burn and Scald Drowning Suffocation Hernia Accidental Injuries		• •	Spe	Debility, Atrophy Inanition	'n			• 0	Or	
		OF I	-Violence.		nd S ng sion tal		\$0.03 0	I.—Deaths led and not es. Dropsy	7, 4	Mortification	٠.	Hæmorrhage	not stated)	ed	sal
	i		Viol	CCIDENT, LIGENCE,	Burn and S Drowning Suffocation Hernia Accidental	DE.	Hanging Otherwise	and and	ebility, Inanition	tific	Tumour Abscess	mor	10		Total
		TUSE		CCI	Burn a Drowni Suffoca Hernia Acciden	UICIDE	Har Oth	li.	Deb	Mor	Tun	Hæn	not st Other	Sp	

ANNUAL REPORT OF THE CHIEF SANITARY INSPECTOR FOR THE YEAR 1904.

Sanitary Department,
Municipal Buildings,

To the Chairman and Members of the Sanitary Committee. Middlesbrough.

Gentlemen,—I have the honour to lay before you my Eighteenth Annual Report on the operation of the Sanitary Department.

During that period there were 5,911 Notices served on Owners to abate the undermentioned Nuisances:—

Back Yards Relaid with Scoriæ Bricks, Concre	te, &c.			272
Back Yards Repaired	• •			158
Back Passages Relaid with Scoriæ Bricks	• •			17
Back Passages Repaired	• •			42
Dilapidated Ashpits and Privies	• •			673
Old Ashpits Abolished	• •			49
Pail Closets Substituted	• •			86
Pail Closets Abolished	• •		• •	7
Water Closets Substituted				8
Old Ashpits Abolished	• •			4
Water Closets Substituted	• •			6
Dilapidated Ashpans (Renewed)	• •			1,910
Foul Drains Cleansed	• •			602
Defective Drains, New Gullies Refixed	• •			166
Sink Drains Disconnected from Sewers and Tr	apped	• •		126
Dilapidated Spouting and Fallpipes	• •			486
Ashpit Doors Off (New Ones Fixed)				152
Pail Closet Doors Off (New Ones Fixed)	• •			779
Privy Doors and Seats Off (New Ones Fixed)		• •		673
Defective Pail Closets Reduced to Size of Ashp	oans	• •	• •	80
Offensive Deposits				15
Dilapidated Yard Walls				34
Dilapidated Dwellinghouse Roofs				264
Foul Cellar Drains Cleansed				13
Foul W.C. Drains		• •	• •	8
Water Closets Repaired			• •	7

New Water Closets Fixed		• •	• •	• •		4
Offensive Yards, Fowls Remo	oved	• •	• •	• •	• •	60
Dilapidated Stable Floors, Re	elaid wi	th Con	crete			2
Foul Stable Drains		• •		• •	• •	3
Horses kept in Back Yards						2
Dilapidated Sinkstones Rene	wed					46
Inadequate Water Supply		• •				27
Dilapidated Kitchen and Scu	llery Fl	oors				121
Dirty and Filthy Premises		• •				17
Overcrowding		• •				7
Dilapidated Brickwork over	Gullies					19
Dilapidated Fireplaces			• •			7
Damp Bedroom Walls		• •				10
Dilapidated House and Sculle	ery Wall	ls				75
Dilapidated Bedroom Floors		• •				5
Dilapidated Windows						48
Dilapidated Ceilings		• •				32
Cellar Filled up						1
Offensive Wells Filled up	• •					2
Dilapidated Back Doorsteps						6
Defective Set-pot Chimneys		• •				5
Dilapidated Cellar Floors Rel	aid witl	n Conc	rete			3
Filthy W.C. to Cleanse						1
Pigs to Remove						1
New Pail Closet Built	• •					1
Premises Limewashed						2
Manure-pits Built		• •				4
Dilapidated Cowshed Floor R	Relaid w	ith Co	ncrete		• •	1
Grates Provided for Gullies				• •	• •	42
Dilapidated Gully Covers, Ne	w Ones	Fixed			• •	65
Dilapidated Workshop Roof					• •	1
Public Health Notices				• •	• •	1,630
Whitewashing						190

The foregoing particulars only represent the cases where formal Notices have been served, and do not include Nuisances prevented or abated by the verbal request of your Inspectors.

One Notice frequently deals with several separate Nuisances.

It will be satisfactory for Members to learn that all the above work (with but two exceptions) have been executed without having to resort to legal proceedings.

One Property Owner disputed our right to compel him to limewash the public yards occupied by his tenants, and requested that Notices should be served upon his tenants. This would have been manifestly unfair, as in this class of property, the tenants often remain but a few weeks, and it is impossible to persuade them to limewash and cleanse what they describe as other people's dirt.

After every other means had failed, we were reluctantly compelled to institute legal proceedings, when the Magistrates decided in our favour, ordering the work to be done within seven days, and Defendant to pay the costs of the case.

In the other case, a widow, who managed her own property, simply ignored our authority, and refused to abate the Nuisances that existed on her cottage property. An order was also made in this case, and the Defendant mulcted in costs.

MAIN DRAINS.

In addition to the above, our Staff have cleared 8,114 yards of Main Drains in back passages, and relaid 633 yards with proper gradients.

189 yards of Glazed Stoneware Sanitary Pipes have also been relaid, in lieu of old broken land tiles, segment, etc.

2 New Flushing and Examination Chambers have been constructed, 5 new Gullies and 17 Grates and Frames have also been fixed.

100 Manholes (in the old parts of the town) have been regularly emptied and cleansed as often as found necessary.

1,211 Choked Drains have also been cleared by the aid of Cooper's Patent Vacuum Pump, free of charge to the owners.

DISEASED AND UNWHOLESOME FOOD.

During the year 39 seizures of Diseased and Unwholesome Food were made, as shown in the undermentioned Table :—

Number of Seizures.	Article.	Weight.		
11	Beef	4,230 lbs.		
6	Mutton	181 ,,		
11	Pork	980 ,,		
3	Veal	250 ,,		
2	Pears	304 ,,		

Number of Seizures.	Article.	Weight.
2	Bananas	172 lbs.
1	Potatoes	323 ,,
1	Grapes	10 boxes.
1	Cherries	20 baskets.
1	Strawberries	70 pecks.

In every case the articles of food were destroyed with the consent of the owners, notice to inspect the same having been previously given to your Inspector.

SLAUGHTER HOUSES.

	-			
Number on Register	• •	 	(Private)	39
Do.		 	(Publie)	1
				40

The past year has been an uneventful one with regard to private Slaughter Houses. Butchers evidently recognising the Committee's unwillingness to increase the number of these undesirable licenses, have, at any rate for the present, ceased to agitate for additional facilities being granted for slaughtering.

The income from the public Slaughter Houses is far below what might reasonably have been expected, when we consider the spirited manner in which the trade have protested in previous years their inability to secure accommodation to carry on their business. The income this year is less than last, although the population has steadily increased.

However, the truth is, that the butchers objection to the public Slaughter House, is not so much its position, or structure, but their desire to be free and unfettered. They absolutely object to slaughter under direct supervision.

Many of the so-called private Slaughter Houses are in reality simply miniature public ones, into which a number of butchers crowd and suffer any inconvenience in their anxiety to avoid municipal control. In numerous instances the fortunate holders of these licenses largely augment their incomes, whilst the public Slaughter House fails to pay its way, and has to be supported by the rates.

So long as this state of affairs continues it is difficult to understand what arguments can be urged to induce this Committee to grant additional private licenses. I am of opinion that less slaughtering is done in Middlesbrough now than there was twenty years ago, owing to the quantity of frozen, Colonial, and tinned meat that is now sold.

During the year, the Middlesbrough Co-operative Society have demolished their old Slaughter House and forfeited their perpetual license. In its place they have erected a thoroughly modern and well equipped abattoir, for which an annual license has been granted.

The buildings also include cold stores, and departments for tripe dressing, bone boiling, bacon curing, etc.; all the appliances being of the most modern and elaborate description.

When the time arrives for this Committee to build a Municipal Abattoir, we shall not have to look beyond this building for a model.

OFFENSIVE TRADES.

			-		
Number	on Register:—				
	Tripe Boilers	 		 	14
	Tallow Chandler	 		 	1
	Tallow Melter	 		 	1
	Gut Scrapers	 		 	3
					Americanical
					19

The above have been regularly inspected, and, as far as the nature of the trades will allow, have been kept in a fairly clean condition.

PUBLIC BAKEHOUSES.

Number on Register .	•	• •	, .		10		
Situated as under:—							
Adam Street (Ba	ack).						١
77, Stockton Str	eet.			-4	8.00	est th	15
24, Stockton Str	reet.						4
41, Milbank Stre	eet.						The state of the s
29, Durham Stre	eet.						*
40, Fleetham St.	reet.						
6, Vine Street.							,"
101, Russell Stre	eet.						
15, Elizabeth St	reet.						
88, Denmark Sti	reet.						

These have been regularly inspected during the past year, and found to be kept in a clean condition. A verbal notice is usually sufficient for the occupier to have any nuisance abated, or limewashing done.

FOOD AND DRUGS.

During the year 190 samples of Food and Drugs have been procured and submitted to the Borough Analyst (Mr. J. E. Stead) for analysis, with the undermentioned result;:—

		Number			Fat	
Samples.	Sı	ubmitted.	Genuine.	Doubtful.	Extracted.	Adulterated.
						
Milk	• •	57	54		3	
Sterilized Milk		1			1	
Condensed Milk		6	6			
Butters		62	61	e 6		1
Cheese		26	24			2
Lard		20	20			
Margarine		2	2			
Sugar		1	1	• •		
Golden Syrup		1	1	• •	• •	
Cocoa Extract		1	1			
Potted Meat		1	1			
Brandies		10	7	• 🌣		3
Disinfectants		2	2			
Totals	• •	190	180	• •	4	6

Of the six samples returned adulterated, three were brandy. In each case your Inspector was asked by the Licensed Victualler to have the sample analysed at his cost. In two cases the brandy analysed had not been offered for sale; in the third case the brandy was immediately withdrawn from sale.

The sample of butter (?) returned adulterated was simply Margarine, containing as it did 97 per cent. of fats other than butter fats. This was purchased by Deputy unofficially in the public market late on a Saturday night. We kept a careful watch on the stall for several weeks afterwards, but he failed to display any butter for sale. We have since obtained samples but they have proved to be genuine.

Two samples of cheese upon analysis were found to be margarine cheese. In the first case the purchase was made from an old widow whom we were quite satisfied had paid the full price for the genuine article, and was unaware that she was breaking the law. We made enquiries and followed up the person who had supplied her, and had the satisfaction of having him convicted, and, in default of paying a fine of Ten Pounds, he was committed to prison for two months with hard labour.

Three samples of Milk were returned slightly below the Standard fixed by the Board of Agriculture, being deficient in cream. Owing to the great difficulty experienced in obtaining a conviction in former cases, the Committee decided not to prosecute. The sample of sterilized Milk was sent to the Analyst owing to the serious illness of a child that was fed entirely on this article; the Medical Attendant being of opinion that the Milk contained some preservative matter that was responsible for the mischief.

The Analyst reported the sample free from any extraneous matter but deficient in fat to the extent of 16.6. This could readily be accounted for, only about a fourth of the bottle being sent, the other three parts having been used.

FRIED FISH SHOPS.

There are 77 shops in the Borough for the sale of Fried Fish and Chipped Potatoes and their numbers are still increasing.

They are remarkably well fitted up, and the materials used for cooking are of the best quality.

The public now recognise them as a necessity, and, owing to the care taken in fitting up premises used for this purpose and the minimised smells they create, we rarely have any complaints regarding them.

They are chiefly established in the most populous districts, and as they undoubtedly offer to the working classes cheap, wholesome, nutritious food in a very convenient and appetizing form, they are greatly appreciated.

COWSHEDS, DAIRIES AND MILK SHOPS.

COWSHEDS.

Number on Register		 	 27
Number of Cows	 	 	 167

The floor of one Cowshed has been relaid with cement concrete, and improvements have been made to its lighting and ventilation.

The whole of the Cowsheds are limewashed each year.

DAIRIES.

Number on Register for year ending	Decem	ber	
31st, 1904			12
Number of applications for registration			2

MILK SHOPS.

Number on Register for year ending	Dece	mber	
31st, 1904			430
Number of applications for registration			64
Number of Milk Shops closed			29

The above have been regularly inspected and kept in a fairly clean condition.

INFECTIOUS DISEASE.

During the year 867 cases of Infectious Disease were notified to the Medical Officer of Health.

Enquiries were made into their cause or origin, necessitating 3,468 visits by your Inspectors. 557 Cases were removed to the Sanatorium for treatment.

15 Cases of Small-Pox were also removed to the Small-Pox Hospital at Hemlington.

When the Patients are treated in their own homes, a printed List of Instructions to be observed is left at each house; all necessary Sanitary Appliances, Disinfectants and Antiseptic Oil are supplied free, and the rooms, bedding, clothes, etc., disinfected immediately on the recovery or death of the Patient.

787 Bedrooms have also been disinfected.

COMMON LODGING HOUSES.

There are 21 Common Lodging Houses in the Borough, all situated on the North Side of the Railway.

The Houses registered contain 176 rooms for sleeping purposes, and afford accommodation for 1,029 lodgers nightly.

They have been regularly inspected, and kept. as far as possible, in a clean state.

SMOKE OBSERVATIONS, 1904.

Time limit for Middlesbrough 15 minutes (black smoke) per hour.

No.	NAME OF FIRM.	Address.	No. of Observa- tions taken	No. of Minutes Black Smoke per Hour.			
			(60 min.)	Maximnm	Average		
1	Middlesbrough Guardians	Workhouse	6	$1\frac{1}{2}$.25		
2	Richard Hill & Co., Ltd.	The Marshes	1		0.00		
3	Corporation Electricity Works	Snowdon Road	1	• •	0.00		
4	Tees-side Laundry	Parliament Road	1	2	2.00		
5	Pacitto Brothers	Brentnall Street	1	1	1.00		
6	Corporation Baths	Newport Crescent	1	4	4.00		
7	R. Hill & Co	Newport Wire Mills (No. 1 Chimney)	2	8	4.00		
	Do	(No. 2 Chimney)	3	$26\frac{1}{2}$	24.8		
8	J. Crombie & Sons	West Marsh	4	$14\frac{1}{2}$	8.00		
9	R. Craggs & Sons, Ltd	The Marshes	2	6	5.75		
10	W. Richards & Sons, Ltd.	Ormesby Road	3	$28\frac{1}{2}$	14.00		

Total Number of Observations

25

We have drawn the attention of the owners of numbers 7 and 10 to the nuisance caused by the emission of black smoke from their chimneys, and they have each expressed their willingness to adopt any apparatus on the market that will successfully minimise or cure the nuisance. On this undertaking the Committee deferred taking action.

COLLECTION OF NIGHTSOIL 1904.

Mo	Month.				Barged to Sea	Sent to Farmers.	Number of trips to Sea.
January	• •			3,771	2,398	904	7
February				2,979	1,771	935	7
March				2,808	1,426	1,260	5
April			• •	3,558	1,901	1,088	8
May				2,795	Nil.	2,397	Nil.
June		• •	• •	2,861	739	1,858	3
July				3,455	2,298	496	9
August		• •		2,815	1,588	935	5
September		• •		2,873	1,173	1,670	3
October				3,628	351	2,220	2
November				3,032	257	2,272	2
December		• •	• •	3,866	1,037	2,014	3
To	tals		• •	38,441	14,939	18,049	54

During the months of May and June 1,617 tons of Nightsoil were given away, owing to the Hopper Barge being laid up for repairs and our inability to find a market for that amount.

Otherwise our sales have been very satisfactory and there has been a steady demand for this comodity. The dual system of selling to farmers and barging the remainder out to sea, has worked out admirably. It has enabled us to keep the Depot in Lloyd Street clear, and to realize a better price on our sales.

FACTORY AND WORKSHOPS ACTS.

I would respectfully direct the Committee's attention to the increasing demands made by the Legislature regarding the inspection of Factories and Workshops. Hitherto our energies have been directed to Workshops, Workplaces and Outworkers.

We are now held responsible for carrying out the various sanitary measures to all factories situate in the Borough. When it is remembered that the town is studded with Factories from Cargo Fleet to Newport, it will be realised that to carry out the duties efficiently, the whole time of an Inspector must be devoted to the work.

At present, one Inspector devotes a portion of his time to the special duty. It will, therefore, be necessary to appoint an additional Assistant Sanitary Inspector if this work is to be done in a thorough systematic manner.

CONCLUSION.

In conclusion, I have again great pleasure in recording the hearty co-operation I have at all times received from the Inspectors under my charge in carrying out the oft times difficult and dangerous duties imposed by the Public Health Acts, particularly to my Senior Assistant (Mr. Thomas McDonald) my special thanks are due, for his ready and willing assistance at all times.

I am, Gentlemen, your obedient Servant,
GEORGE H. ANDERSON,
Chief Sanitary Inspector.

APPENDIX A.

THE COUNTY BOROUGH OF MIDDLESBROUGH.

Infectious Diseases Hospitals—Report for the year 1904.

To the Chairman (Alderman J. McLauchlan) and Members of the Sanatorium Committee.

Gentlemen,—During the past year 636 patients suffering from Infectious Diseases have been treated at the Sanatorium. Of these 587 were removed from the Borough of Middlesbrough and 49 were admitted from outside districts.

There were 21 deaths during the year equal to a death rate for the total cases treated of 3·3 per cent., the death rate the previous year being 8·2 per cent., the death rate for the past year being a most favourable one.

Scarlet Fever.—A severe outbreak of Scarlet Fever occurred during the second half of the past year, the admissions to the Hospital increasing month by month in the Autumn, as many as 117 cases of this fever being admitted during the month of October.

Of a total of 564 cases admitted during the year, 524 were from the Borough and 40 from outside districts. 555 recovered and 9 proved fatal, the death rate being 1.8 per cent.

The death rate amongst cases remaining at home being 4.4 per cent.

Enteric Fever.—41 cases were treated, of these 33 recovered and 8 proved fatal. The death rate being 19.5 per cent. In the previous year the death rate was 16.3 per cent. The death rate for cases treated at their own homes during 1904 was 30.3 per cent.

Diphtheria.—30 cases were treated, of these 26 recovered and 4 proved fatal. The death rate being 13·3 per cent. The death rate during the previous year being 31·6 per cent. The death rate for cases treated at home was 21·7 per cent.

Hemlington Small-Pox Hospital.

On January 1st, 1904, there were 5 patients under treatment. 18 have been admitted during the year, of whom 15 were resident in Middlesbrough and 3 were from outside districts. 3 cases remained under treatment on December 31st, 1904, the rest have been discharged cured.

Disinfection.—Owing to the large number of Scarlet Fever cases notified in the Borough during the past year there has been a corresponding increase in the number of articles disinfected, these having increased from 3,646 in 1903, to 9,170 during 1904. For details of the articles disinfected see Table IV.

Hospital Staff.—Owing to the number of Scarlet Fever patients admitted during August, September, October and November, the Hospital was taxed to its utmost capacity, no less than 160 patients being under treatment at one time. The whole of the accommodation was required for Scarlet Fever cases and it was found necessary to refrain from admitting other diseases.

The Matron and Nursing Staff experienced an arduous and trying time and the very satisfactory low death rate points to the great care which has been exercised in dealing with the patients. Only one member of the staff contracted infectious disease during the year.

Buildings.—The extensions which have been urgently required during the past year are now completed and the furnishing of them is proceeding.

 TABLE I.—The following cases were admitted to the Sanatorium during 1904.

Diseases.		Remaining in Hospital Dec. 31st, 1903	January	February	March	April	May	June	July	August	September	October	November	December	Totals
Scarlet Fever	• •	24	16	19	27	14	21	30	37	65	70	117	73	51	564
Enteric Fever		4	4	6	5	1		4	1	2	6	6	» c	2	41
Diphtheria	• •		4	5	5		2	2	3	4	1	1		3	30
Typhus Fever		• •		1	• •	• •	\\ \\	• •	• •	• •	• •	• •	• •	• •	1
Totals		28	24	31	37	15	23	36	41	71	77	124	73	56	636

TABLE II.—The Admissions in Table I. after observation proved to be.

	Scarlet Fever	Enteric Fever	Diphtheria	Scarlet Fever and Whooping Cough	Scarlet Fever and Chicken Pox	Scarlet Fever and Measles	Syphilis	Tuberculosis	Septicemia	Influenza	Diphtheria and Scarlet Fever	Tonsilitis
Scarlet Fever	554			1	1	6	1	• •	1	• •	• •	• •
Enteric Fever		39		• •	• •	• •	• •	1	• •	1	• •	
Diphtheria	• •		27	• •	• •	• •	• •	• •	• •	• •	2	1
Typhus Fever	• •		• •	• •	• •	• •		1	• •	• •	• •	• •
Totals	554	39	27	1	1	6	1	2	1	1	2	1

TABLE III.—The following Deaths occurred at the Sanatorium during the year 1904.

Disease	January	February	March	April	May	June	July	August	September	October	November	December	Totals
Scarlet Fever Enteric Fever	1	1	2 2	1			2	2	1		1	1	9
Diphtheria		1	• •	• •	, .	• •	1	1	• •	• •		1	4
Totals	1	3	4	1	• •	• •	3	3	2	• •	2	2	21

Of these, 4 were deaths of cases admitted from outside districts, viz.:—

Diphtheria ... 3
Scarlet Fever ... 1

FABLE IV.—The following Cases were admitted to the Sanatorium from Outside Districts.

Diseases	January	February	March	April	May	June	July	August	September	October	November	December	Totals
Scarlet Fever Enteric Fever Diphtheria	1	2	1 	• •	2	2	1	3 1	12	13 1 1	2	2 3	40 2 7
Totals	1	3	1	• •	2	2	1	4	13	15	2	5	49

These Cases were admitted from the following places:—

				Barrison
				49
Acklam	• •	• •	• •	4
Great Ayton	• •	• •	• •	8
Picton			• •	2
Kildale	• •	• •		1
Stokesley		• •	• •	8
North Ormesby		• •	• •	3
Thornaby		• •		23

TABLE V.—The following Articles were removed to the Sanatorium and Disinfected during the year 1904.

1904		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Totals
Beds		12		67	13	4	4	4	9	63	0	ಣ	8	69
Mattresses	•	9	14	4	16	9	61	4	23	0	67	4	9	99
Blankets	•	47	92	34	87	36	22	55	69	71	130	108	59	794
Quilts and Sheets .	•	63	97	56	49	44	42	74		139	154	164	95	1,088
Pillows	•	37	65	36	25	40	42	32	99	92	91	91	61	662
Bolsters	:	10	18	∞	9	∞	1-	∞	6	22	17	21	23	157
Bed Hangings .	•	0	4	61	0	0	0	0	0	0	8	9	ಣ	53
Carpets	:	0	67	4	ଚୀ	0	0	0	0	0	_	_	ಣ	13
Rugs and Mats	•	0	0	ତୀ	4	61	4	4	0	0	0	0	0	16
Cushions	•	9	4	4	9	4	ಣ	0	9	10	11	I	13	74
Wearing Apparel .	•	253	353	351	121	419	203	383	488	909	970	066	778	5,915
Sundry Articles .	•	42	38	19	15	50	15	15	19	44	26	50	67	293
Totals .		458	682	522	344	583	344	579	776	970	1,410	1,424	1,078	9,170

APPENDIX B.

FACTORY AND WORKSHOPS ACT, 1901.

REPORT ON THE ADMINISTRATION OF THIS ACT IN THE COUNTY BOROUGH OF MIDDLESBROUGH FOR THE YEAR 1904.

On January 1st, 1904, there were 444 Workshops on the Register, during the year 50 have been closed and 36 New Workshops have been registered, there being 430 registered Workshops at the end of the year.

1,371 visits have been paid to the above Workshops, and 95 defects noted and remedied.

The following list gives in detail the number and nature of the different trades and the persons employed therein:—

WORKSHOPS ON THE REGISTER, DECEMBER, 1904.

Nature of Trades and Number of Person Employed.

					Number	Emp	loying
Nature of	Trades.				of each.	Males.	Females
Dress and Mantl	e Makers				103		362
Milliners					36		125
Tailors					48	58	155
Boot Repairers		• •			53	137	
Joiners and Cabi	net Maker	. S		• •	48	302	4
Hosiery Knitters	S				10	• •	49
Bakers		• •			27	38	17
Plumbers		• •			13	68	
Blacksmiths			• •		9	36	• •
Watchmakers an	nd Repaire	ers		• •	4	21	• •
Tinsmiths			• •	• •	6	23	• •
Coach Builders				• •	5	20	
Wheelwrights	• •	• •	• •		1	2	• •
Underclothing an	nd Shirt M	Iakers	• •	• •	1	• •	13
Picture Framers	• •				2	12	1
Upholsterers	• •	• •	• •	• •	6	10	7
Cycle and Motor	Repairers	• •	• •	* *	2	5	* *

				Number		ploying
Nature of Trades				of each	Males	Females.
Slipper Makers	• •	• •		3	12	3
Sweet Boilers	• •	• •	• •	6	13	31
Salt Packers	• •		• •	3	2	9
Beer Bottlers	• •			3	15	3
Saddlers			• •	2	9	• •
Wood Carvers	• •			1	2	
French Polishers				2	6	
Coopers				4	17	
Compass Adjusters				2	12	
Paper Bag Makers				3		15
Dentist				1	2	
Leather Cutter				1	4	
Mattress Maker				1	4	2
Scale Makers and Rep	airers			2	11	
Botlle Washers				3	4	10
Glass Engravers				1	• •	2
Book Binders			• •	1	6	3
Lubricating Bag Make	ers			2	3	6
Marine Stores				4	1	25
Electrical Engineers				2	6	
Engraver				1	2	
Wireworkers				2	9	
Clog Maker				1	2	
Whitesmith				1	2	
Brick Maker				3	33	
Tallow Chandler				1	2	
				spaces differential		
	Totals			430	911	842
					-	

The following Workshops have been added to the Register during 1904:—

					Number	Emp	loying
List of Tr	ades.				of each.	Males.	Females.
Dressmakers	• •				8		24
Milliners	• •	• •	. ``	• •	4	• •	15
Tailors	• •	• •	• •	• •	5	8	15
Joiners	• •	• •	• •	• •	2	8	
Cabinet Makers	• •		• •	• •	1	8	
Tea Packers and	Blender	s	• •	• •	1	2	
Slipper Makers	• •	• •	• •	• •	1	2	• •

Hosiery Knitters			 	1	• •	2
Sweet Boilers		• •	 	1	2	2
Plaster of Paris M	odellin	g	 	1	3	
Brush Makers	• •	• •	 	1	1	2
Boot Maker and H	Repaire	er	 	1	3	
Umbrella Maker a	nd Re	pairer	 • •	1	1	1
Beer Bottler			 • •	1	2	4
Plumber			 	1	5	
Bakers			 	6	2	9
				tableric constructions	annesses of the state of the st	Stradius scorphorhoused
		Totals	 • •	36	47	74

Workplaces.—There are 42 Workplaces on the Register, 84 visits have been made to these, they include such places as Kitchens of Hotels, Restaurants, Tea Rooms, &c. No cause for complaint was found.

Domestic Workshops.—246 Domestic Workshops have been visited, 272 visits having been paid to them. They are usually ordinary living rooms used for the purpose of dressmaking, alterations, quilting, baking, etc. The conditions under which this work is being carried out are fairly satisfactory.

Outworkers.—There are 34 firms employing 107 outworkers, 41 lists were received during the past year.

Many of the outworkers are employed by more than one firm, the total number of workers being 70, employed in the following trades, viz.:—

Tailoring and Alteration	ıs	• •				27
Shirt and Underclothing	g Mak	ing	· •	• •		32
Hosiery Knitting		• •		• •		8
Boot Repairing		• •	• •	• •		1
Mattress Repairing						1
General Sewing		• •		• •	• •	1
		Mess a cons				
						70

Much difficulty has been experienced during the year in getting firms to send in lists of outworkers.

Bakehouses.—There are 27 Bakehouses on the Register, 6 have been added during the year and 2 closed. No underground Bakehouse has been in use and only one is certified for as fit for use. 90 Inspections have been made to Bakehouses and 7 defects dealt with, viz.:—

Bakehouse to cleanse and limewash	 • •		2
Dilapidated Bakehouse floor	 		1
Drain opening inside Bakehouse	 		1
Defective sanitary convenience	 	• •	1
Insanitary Bakehouse closed	 		2
			7

Laundries.—There are 3 Factory Laundries employing 186 women and girls, in addition there are 3 Hand Laundries employing 8 women. The whole are conducted in a satisfactory manner, only one sanitary defect being reported.

The following Tables are added at the request of the Secretary of State:—

FACTORIES, WORKSHOPS, LAUNDRIES, WORKPLACES, AND HOMEWORK.

1.—Inspection.

		Numk	per of
Premises.		Inspections.	Written Notices
Factories (including Factory Laundries)		16	3
Workshops (including Workshop Laundries)		1,371	95
Workplaces		84	Nil.
Homeworkers' Premises		111	Nil.
Total	• •	$\phantom{00000000000000000000000000000000000$	98

2.—Defects Found.

				Numbe	er of Defects.
Particulars	S.			Found.	Remedied.
Nuisances under the Public He	alth Ac	ts :			
Want of Cleanliness			 	25	25
Want of Ventilation			 	1	1
Overcrowding			 	2	2
Other Nuisances			 	18	18

Sanitary Accommodations :							
Insufficient					3		3
Unsuitable or Defective		• •			11		11
Not separate for sexes			• •		7		7
Offences under the Factory and	l Works	hop A	ct:-				
Illegal occupation of und	_						
(S. 101)					1		1
Breach of special sanitar					7		7
houses (SS. 97 to 100) Failure as regard lists of	·			• •	25		25
Giving out work to be do		`	•	h are			
infected (S. 110)	· ·				2		2
	m , 1				101		101
	Total	• •	• •	• •	101		101
	3.—0	THER	MATTE	ERS.			
		Total Control of the					Number.
Matters notified to H.M. Inspe	ectors o	f Fact	tories :-				1, 0,11,001
Failure to affix Abstract	of the F	actory	y and W	orksho	p Act		24
Action taken in matters referre	•						
Notified by H.M. Inspect	or						13
Reports (of action taken)							12
Underground Bakehouses :—							
In use during 1903	• •			• •			3
Certificates granted in 19	004		• •				1
In use at the end of 1904	• •		• •	• •	• •	• •	Nil.
						Numb	er of
Homework :—					Lists.	,	Outworkers.
Lists of Outworkers (S. 107)) :						
Lists received	• •	• •	• •		41		107
Addresses of Outworkers	s forwa	rded t	o other				
Authorities	• •	• •	• •		4		
Workshops on the Register at	the end	l of 19	004:	430			

APPENDIX C.

Special Report on Infantile Mortality,

In consequence of the decline in the birth rate which is taking place in this country, and also of the high death rate amongst Infants, the subject of Infantile Mortality has been widely discussed during the past year, and was a prominent feature of the Report of the Inter-Departmental Committee on Physical Deterioration issued in July, 1904.

In considering the question of Infantile Mortality and what effect any increased efforts on the part of the Sanitary Authority are likely to have upon it, it is necessary first to consider how many, if any, of these deaths are due to preventible causes and how many to inpreventible causes.

Taking the total number of deaths of children 1 year of age and under during the past year in this Borough, it will be seen in Table I. that out of a total of 616, one-third (207) occurred during the first 4 weeks of life, or at an age when the surroundings were not likely to be the determining cause of the Infant's death.

Of these 207 deaths, the greatest number, viz., 56, died from Premature Birth, and 45 from Debility, Atrophy, &c., pointing to some cause prior to birth which incapacitated the child as soon as it had a separate existence.

Looking at the subject from the Sanitary standpoint, it would appear that about one-third of the total deaths can be classed as inpreventible and the remainder as more or less preventible.

In the following Report the principal causes of deaths of Infants one year and under are classified into nine groups :—

In Group I. are included all deaths due to Immaturity and include deaths from Congenital Malformations, Premature Birth, Debility, &c., few of which are the result of causes acting upon the child after birth, and most of them are due to initial defects in vitality and are inpreventible in the sense that they do not come under the classified preventible causes of death. It is by no means certain that all Premature Births are inpreventible, as I have very little doubt that there are certain women only too anxious to be delivered of a Still Born or prematurely born child.

It is well-known that the use of certain drugs which are widely advertised is very common.

Premature Births and Immaturity in the child may also be induced by intemperance, by lack of care, or inefficiency of the dietary, on the mother's part.

Group II. includes deaths from Diseases of the Respiratory System, and affects children in the second half of the first year of life in greater proportion to the earlier months. Many of these deaths are due to improper clothing of the young infant, and it is no uncommon sight to see infants of from 6 to 12 months old sitting improperly clothed on the cold door steps outside the house, or again outside in the CARE of a child of only a few years of age.

Group III. includes deaths from Diseases of the Digestive System, the chief of which is Diarrhœa, and which carries off most children in the 3rd, 4th and 5th months' of their existence. Improper feeding is here the principal cause and is greatly preventible, especially such practices as giving infants food, which requires mastication, before the advent of teething.

Group IV.—In this group are included Diseases of the Nervous System, such as Convulsions, Meningitis, Fits, &c., many of which are probably the result of intestinal disorders or of Tubercular origin.

Group V.—Includes all the deaths from Tubercular Diseases, very few of which occur in the first 4 weeks of life. Undoubtedly children contract Tubercular Diseases very early in life, and it is presumable that they come in contact with the germs present in infected houses whilst crawling or playing on the floors. Milk is also another very fruitful source of infection. The majority of children attacked suffer from Tubercular Disease of the alimentary tract, rather than from Tuberculosis of the Lungs.

Group VI. is that of deaths from Infectious Diseases. Many of these deaths are preventible. Of 7 under 4 weeks of age 6 are from Hereditary Syphilis.

Measles and Whooping Cough are the causes which are most fatal to the older infants, and many of these deaths are due to want of proper care and nursing.

Group VII.—Deaths due to Suffocation, are all preventible.

Group VIII.—Accidental Deaths are few in number.

Group IX.—Includes deaths from all other causes, more than half of which occur during the first 4 weeks of life and are due to Accidents at Child Birth, Hæmorrhage and other inpreventible causes.

Table I.—Total Deaths of Children, 12 months of age and under, in the Borough of Middlesbrough during the year 1904.

		De	aths under 4 weeks	Total Deaths 12 months of
			of age.	age and under.
Group	Ι		126	184
2.2	II		10	103
2 2	III		31	169
٠,	. IV		18	65
2 1	$\nabla \dots$		3	33
	VI		7	39
; ;	VII	• •	2	4
, ,	VIII.		2	3
, ,	IX		8	16
			207	616
			201	010

Of the 616 deaths of Infants 12 months of age and under, 357 were males and 259 were females.

The following Table shows the number of deaths in each group in the various Wards of the town:—

TABLE II.—Deaths in the various Groups in each Ward.

Wards.	Group I.	Group II.	Group III.	Group IV.	Group V.	Group VI.	Group VII.	Group VIII	Group IX.	Tot	al.	Totals.
Ayresome	27	17	17	6	9	1		1	1	Male. 40	Fe- male.	79
Acklam	12	3	14	6	3	1				21	18	39
Cannon	24	10	28	11	4	5			2	49	35	84
Cleveland	11	3	16	4	2	2	1		1	21	19	40
Exchange	12	5	10	6	1	4		1	1	27	13	40
Grove Hill	14	11	13	7	1	3	• •		3	35	17	52
Linthorpe	9	6	5	4	1	3	1		2	18	13	31
Marsh	32	18	29	10	4	11	1	1	1	69	38	107
Newport	32	15	31	5	3	3	1	• •	4	49	45	94
Vulcan	11	15	6	6	5	6			1	28	22	50
Totals	184	103	169	65	33	39	4	3	16	357	259	616

From the following Table it is seen that some Wards have much higher Infantile death rates than others. The percentage of deaths of Infants 1 year and under to total deaths in the Wards being:—

Ayresome	37.5 per ce	nt. of total d	leaths in the Wards	were 1 year of	age and under.
Acklam	32.5				
Cannon	44.2		1 224 (41)		
Cleveland	37.0	, ,	1 1 73 11 11 11		
Exchange	27.2	,,	- 12 Ma	,,	
Grove Hill	30.4	2.2	070 · · · · · · · · · · · · · · · · · ·	entanse dem no explano de	attention to the extension of
Linthorpe	22.9	,,	,,	,,	
Marsh	29.3	,,	,,	,,	
Newport	38.5	,,	, ,	,,	
Vulcan	25.5	,,	,,	,,	

This Table compared with the Table of death rates in the various Wards is very remarkable, showing as it does that some of the Wards with the lowest death rates in the Borough have the highest proportion of Infantile deaths and vice versa.

I am unable to give the Infantile Mortality figure for the various Wards, as the number of births per Ward is not available, the Infantile Mortality figures for the whole town during the past 12 years have been:—

Deaths of Infants one year of age and under per 1,000 births for the years 1893 to 1904:—

1893		173		1899		183
1894		144		1900		198
1895		194		1901	• •	197
1896	04	170	0.	1902	Ť.,	182
1897		172		1903		186
1898		199		1904		170

In Middlesbrough, this Infantile Mortality figure is influenced to some extent by the extraordinary high birth rate, since there are necessarily a greater number of the population at an age period during which the expectation of life is low than in similar towns with a smaller birth rate.

During the past 7 years the ratio of deaths of Infants under one year of age to the total deaths has increased in Middlesbrough, at the same time the birth rate has also increased.

 $V_{H} = V_{H} = 0$

The percentage of deaths of Infants under 1 year to total deaths during the past 7 years being as follows:—

1898	1899	1900	1901	1902	1903	1904
28.77	27.93	27.51	32.93	32.21	31:37	31.74

The following Table gives the number of deaths during the years 1898 to 1903, arranged in similar groups of deaths as Table I.

TABLE III.

	1898	1899	1900	1901	1902	1903
Group I.— (Immaturity, &c.)	199	177	222	207	227	211
Group II.— (Respiratory)	58	90	96	92	91	126
Group III.— (Digestive)	129	130	140	165	98	120
Group IV.— (Nervous)	103	76	98	97	89	86
Group V.— (Tubercular)	33	36	34	42	28	33
Group V1.— (Infectious)	27	38	28	26	33	35
Group VII.— (Suffocation)	3	5	14	9	10	9
Group VIII.— (Accidental)		1			5	3
Group IX.— (All other Causes) .	. 14	22	31,	19	35	27
Totals	. 566	575	663	657	616	650

From this Table it will be seen that during the 4 years 1901 to 1903 there was very little variation in the number of deaths in the various groups with the exception of Group III., which includes deaths from Diarrhæa, and which shows a marked increase during the year 1901, the summer of which was a fine and warm one. The year 1902 had the lowest death rate from Diarrhæal Diseases and had a cold and wet summer.

During the summer months of 1904, from June to September, when summer Diarrhea is very prevalent, and Infantile Mortality at its highest, an enquiry was made in Middlesbrough respecting the death of every child two years of age and under. During these four months there were 287 such deaths, being 46·2 per cent. of the total deaths, which numbered 621.

Of the 287 deaths,

56 occurred in the Newport Ward—65.1 per cent. of the total deaths in that Ward.

55	,,	Marsh	,,	-43.3	,,	, ,	,,
44	,,	Cannon	,,	67.6	,,	,,	,,
24	,,	Exchange	,,	—47 ·0	, ;	, ,	, ,
23	,,	Ayresome	,,	-29.1	٠,	"	,,
22	,,	Vulcan	,,	34 ·9	,,	,,	,,
18	, ,	Acklam	,,	-51.4	, ,	,,	,,
17	,,	Linthorpe	,,	-48.5	, ,	,,	,,
17	, ,	Grove Hill	٠,	—34· 0	,,	"	,,
11	,,	Cleveland	,,	-28.2	,,	2 2	,,

In this Table, and also in the one giving these figures for the whole year, it is seen that the two worst Wards are the Cannon and Newport, and that the Marsh Ward, which has the highest death rate of any Ward in the town, takes a middle position amongst the Wards as regards Infantile death rate.

During these four months, the chief causes of death came under the 1st three groups of diseases.

In Group I. there were 34 deaths from Premature Birth, Debility, Atrophy, Marasmus and Immaturity.

In Group II. there were 47 deaths from Pneumonia and Bronchitis.

In Group III. there were 110 deaths from Diarrhæa and Enteritis.

35·1 per cent. of the 287 children were Breast fed.

32.6 per cent. of the 287 children were fed on Cow's Milk alone.

The remainder were fed on Nestle's Milk and various patent foods.

Breast Fed Children.—The mother's milk is the natural food of the infant and is that upon which it is most likely to thrive and be healthy, it is consequently disappointing to find that of 287 deaths there should be such a large proportion as 35 per cent. Breast fed. Upon investigation, it is found that 35 per cent. of these Breast fed children had delicate mothers' or were delicate children at birth, but by far the most striking fact is that during the 4 months over which these investigations extended there were no less than 22 of these Breast fed children who were slowly but surely being starved to death by being kept solely upon Breast Milk. The usual period for weaning the child is from the 9th to the 12th month, after which the mother's milk becomes poor in quality and insufficient in quantity for a healthy child. The following are the ages at death of 22 children who are said to have been fed upon nothing but $\int_{-\infty}^{\infty} \left| \left(\left(\left(\frac{1}{2} + \frac{1}{2} \right) \right) \left(\left(\frac{1}{2} + \frac{1}{2} \right) \right) \right| \right| dt dt$ breast milk:-

1 aged 23 months at death.

1001 7 1011 7

to be called a larger 1 and 1 and 1 CI THE ,, I CAN A DOME TO THE THE PARTY OF T 22 21 3 18 17 16 15 6 14 ;; ||..., ...,

Another very noticeable fact in reference to the deaths of children, said to have been Breast fed, is the previous loss of children in these families. The following are some instances:

. 11	Numbe	r of births in	family.	Children	living.	Number	of deat	ths.
		17	(1)	1000	6	1 7 10	11_	
f 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	111	$\frac{14}{14}$			8	- 0.1	8	
		13			6) . [[[7	
v. (047	* (* (\) (\) (\) (\)	12°	713 mm	ę.	3	I I dies i	9	
		11			5	011.7 000	6	
	111111	10	10074	Landen .	4	II Dinama	6	
							.X.	
	- [1 -	6	14	1 2 78	2	+ 5 (6)	4	
		9 .	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	e 1 men	1 (1 1 1 1 1	0.7.	
	Total Bir	ths 106	Childre	en living	45	Deaths =	61	
	, () ;	mitory mission	Proceedings	(t) J. F. (t)			100	

or a death rate for these 9 families of 57.5 per cent. of the births. The cause of death in many cases is given as Premature Birth, and is accounted for partly by the mother being physically worn out and unfit for child bearing, owing to the short interval between each birth, e.g.:—

One woman had 9 children in 11 years.

, ,	,,	17	, , ,	23	22
, , ,	,,	6	2.2	8	2,2
"	,,	11	, ; ,	14	, ,
,,	,,,	7	,,	10	"
, ,	, ,,	12	2.5	15	"
? ?	, ,	15	2.2	25	,,
"	,,	9	,,	14	"

11214 F

on the grant of the state of

the state of the s

These instances go to show that even amongst Breast fed children there are many causes at work which mitigate against the children starting life with a healthy constitution, such as is required in order to survive the first year or two of their existence.

Tubercular Disease is also a frequent cause of death, whether hereditary or not is problematic, but where the parents are phthisical it is only natural that the child should soon develop the disease.

Children fed upon Mixed Foods.—Of the remaining 186 deaths which were investigated, being 66.8 per cent. of the whole cases, 171 were fed on the Breast, Cow's Milk and other Foods, and 15 died before they were 12 hours' old. The food employed varied to a great extent and include nearly the whole of Infants' Patent Foods.

68 were fed on Cow's Milk solely.

the control point of the later

mile of the territories of the

- man property of the country of

19 were fed on Nestle's Milk solely.

The remainder having one or more of the various Foods.

28 were weaned and on solid Food.

Many of the above besides having the Infants' Food also had a bit-of-anything going in addition.

45 per cent. of these children were fed from the old-fashioned and highly dangerous long tubed feeding bottles, and 29.2 per cent. from the proper boat-shaped feeders.

Many of these children were brought into the world without any prospect whatever of living, as for example, one woman had 10 Still-born children in addition to which 4 more were born alive but did not live long. Another woman had 7 Still-born children and 1 born alive which only lived 3 days. Again, 8 children of a family of 13

died, all in infancy, and from Tabes Mesenterica, the mother being a very delicate woman. I could give more such instances, but sufficient has been written to show that it is little short of a criminal offence for parents to continue having families under such circumstances.

After considering the causes of Infantile Mortality, we see at once what a difficult and complex subject it is, and the apparent hopelessness of the remedy being found by means of Sanitary administration, the real solution must be a more serious feeling of the responsibilities pertaining to the duties of motherhood and child rearing amongst the populace of the towns. Many lives are lost no doubt from ignorance of the proper method of rearing children, and many from carelessness and neglect, but I venture to think that thoughtlessness also plays a very prominent part. It is a most frequent sight to see mere infants being carried about the streets late at night or taken to places of amusement. Again, the manner in which some children are exposed to changes of temperature, to exposure, whilst improperly clothed, to all conditions of weather, playing or crawling on damp grass or cold doorsteps, and even when a little older running about the streets with perhaps only one garment on, make it surprising that as many infants survive as do.

The care the mother takes of herself before the birth of her child is a very important question with regard to Infantile Mortality, and has a direct bearing upon the deaths in Group I., the group with the greatest death rate. Many women take no trouble to alter their conditions of life during the later months of pregnancy, and especially amongst women employed in factories and workshops we find a high Infantile death rate. This cause is not one affecting Middlesbrough, but from the high percentage of Premature Births it would appear that there are causes operating in this town which are not creditable to many who are expectant mothers.

The principal remedies which are usually advocated for the improvement of the Infantile Mortality are, educational—both of the present mothers, and of the future mothers during their school training—sanitary, better houses and better sanitation, dietary, and pure milk supply, together with the employment of Health Visitors and the formation of Ladies' Health Societies.

The recommendations of the Committee on Physical Deterioration do not seem to embrace any new principles, but suggest that the methods at present employed should be persevered with until the mothers become better educated. Considering that so little headway has been made in the past three or four years during which these methods have been employed, the prospect of any immediate improvement does not seem to be promising. Two points which require legislative consideration are the

Registration of Still-births, together with a proper enquiry necessitating a medical certificate in each case, and a shortening of the period within which births may be registered.

The Midwives' Act, if carefully and vigorously administered, will I feel sure be of great value in diminishing the number of Still-births.

The education of the present mothers in all matters dealing with the care, feeding and nursing of their infants is, I am afraid, too huge an undertaking to be successfully accomplished by the Sanitary Authority of a town, and must to a great extent be brought about by greater interest being taken in the lives of the poor and of the help-less infants by those who have the leisure and inclination for such work.

The following Tables give the causes of death, ages at death, and sex of all infants 12 months of age and under, who died in each Ward in Middlesbrough during the year 1904, the estimated populations of these Wards being:—

Ayresome	 14,750	Grove Hill	 12,900
Acklam	 7,950	Linthorpe	 7,660
Cannon	 8,424	Marsh	 10,858
Cleveland	 7,355	Newport	 10,134
Exchange	 8,219	Vulcan	 8,124

nd	als	E	4 : :-	_	7001-	C1	• • ===		•	•	:	18	30
Grand	Totals	M	9::1	C7	2-	4		- : : :	:	•		21	3
	-3	[E4	• • • -	-	ল লে ল :	C1	::-	,	•	:			
	Total	M	• • • =	Ø		ಣ	—		•	•		12	
4 Th /		Fig		:		· :	101: 10			: "		-	
	12th	Ħ					4.0.0.7		1	117			
	11th	독		•		•		0 0 0	•	•			
1111		M				-			•	•	171		
. 111	10th	NE E		•			• • •		•	•		I.	
70		年		•	-:::	(1.0)	* * * *		•		11 1	=	
Ä	9th	M			::0	•	• • •				: 1	က	
MONTHS	8th	<u> </u>	• • • •	-:			• • •		- ,			1	į,
		F			<u> </u>	:			•	:	:	-:	
BY	7th	M	• • • •	•	• • • •	•	• • • •	• • • •	7 10 11 1	• 11			
		둳	0 11:0:	i	* * * * * *	:	1 :::		•	111		0	
AGES	6th	M	• • • •	÷		•			·	, •			
A	5th	H	: : : :	•		67			•	•		5 1	
		F N	• • • •	-	63	-	• • •		•	•	•	ಣ	
	4th	M	• • • •	+	• • • •	•	• • •		•	•		-:	
		<u>F4</u>		: -		-	::-		•	•	:	01	
	3rd	M		10.31			6 : : :		:	•			
	2nd	F	• • • •	1		• <u>\$</u>		•, • •	-	•		- 2	
		- M	41	:	<u> </u>	:	• • •	• • • •	:	:	<u></u> :	7	9
700	Total	M	9	•	–		: : -			•		6	16
WEEKS		H	• • •	•		•			•	•			
ΛE	4th	M		•		•		* * * *	•	•	:	-	
		[드	- : : :	•	c) :::	:			•	•	:	ಣ	
BY	3rd	M	- : : :	:		•	• • •	• • • •	•	•		_	
AGES	2nd	E				:		• • • •	•	:	:	1	
AG		E W		•		•	• • •		•	•		<u></u>	
	lst		70	•	• • • •	•	• • •		•			9	
				:		•			•	:	:		
						rem							
			Birth Malformation ebility, &c.	z		SYSTEM.			•	•	•		
	DEATH		matic , &c.	RESPIRATION	DIGESTION	70	(n) (g)						
	EA		re Birth al Malform iis Debility,	IRA	EST	NERVOUS	ASES Price	SES gh : : :	•	TS	S		
			Birth Malfo	ESP)IG1	ER	SEA	SEA		ACCIDENTS	CAUSES		
	OF				OF I toeal tis ion		Dy fesc ubc	Di ng- ng-	NC	CCII			
	ED SO		x-natueni eni eni ecta phy	OF	s or choc riting sitio	0	S A No. 19 No. 1	opi opi sles sles nthe	ATIO		ER		
	CAUSES		TORITY— Congenital Atelectasis Atrophy, L	SES	DISEASES OF (a) Diarrhœal (b) Enteritis (c) Dentition (d) Others	SES	RCULAR DISEASES-Tabes Mesenterica Phthisis Other Tubercular	Infectious Diseases (a) Whooping-cough (b) Measles (c) Diphtheria (d) Syphilis	SUFFOCATION	OTHER	OTHER		
	CAI		A A C	DISEASES	SSE DD DD OD	SEA	3ER) T) P) O	SCA	UFF	OTE			
			(d) (d)		(P) (P) (P) (P) (P) (P) (P) (P) (P) (P)	Di	Гчв (b)	Inf (c) (c) (d)	30		ALL		
			I. IMMATURITY (a) Prema (b) Conger (c) Atelec (d) Atroph	Ħ	III.		V. Tubercular Diseases (a) Tabes Mesenterica (b) Phthisis (c) Other Tubercular	V.T.	VII.	VLI	IX.		
) mineral					,	,		- 1	

80

	Grand	Totals	<u> </u>	- 2 - 2	7 10	4 2 1 1 .	<u>ග</u>			•		1 00	0.
1	25		M	٠				• •		•	٠		_
1		Total	[F4	: 7 : 9	<u> </u>	ന : : :	(m)	- : 65	: - : :	•	•	. G	1
*			M	:::=	10	7.31:	0.7	: : 70	: : : :	:	:	. 60	07
		2th	H	• • • •	•	• • • •	•			:	•		
		_	M	• • • •	•	• • • •	•		• • • •	:	•	: [
1631		lth	M		:		•	• • • •	• • • •	•	· -	: -	
3					•		-			•	•	•	-
•		0th _	M E		- ⁰ 2, —	• • • •			• • • •	-:	•		ma .
- 1	∞			• • • •	_		•			•	•	• -	
9	MONTH	9th		• • • •			•	• • •		• :	•	• -	-
Aprile	NC		<u> </u>		•	- : : : :	•	• • •	• • • • • • • • • • • • • • • • • • •	•	•	•	-
2) Sh	M	8th	M	• • • •	•	• • • •	-	- · · pand		:			1
. Thirthe p	Ϋ́		দ	:-:-	7		•			•	•	: 6	0
	B	7th	M	• • • panel		· : : :	•			•	•	: 6	0
1	GES		F		•		•			•		: 0	Ō
	AG	6th	M		•					•	•	: -	7
0		- q	F	–			_			•	•	: 6	0
2		5th	M	• • • •	•	4-1-:	•	: : =			•	1 :	
4		4th	F		ಣ		:	• •		•	•	: '	
3		4	M				•	• • panel		:	•	: 0	T)
		3rd	H	• • • •				- : : -		•	:	•	#
Ш			M		•		-			•	•	· ı	2
5		2nd	E Tra, - 1911-191		•		•			•	•		7.
SOM	supplier.	t even at a temperature		70 · C)	٠ ش		:		• • • •	•	=		141
9		Total	F4		67	panel				•	• ,		_ 0
	SX	Tc	M	6 5	0.4								11
1.44	区	q	H			::	•	• • •		•	•		<u>0</u>
~										•		: '	C
R	WE	4th	Ä	: - : -	0.7	• • • pand	•			•	•		
AYRI	Y WEEKS			; : :			•	• • •		•	•	: (7
AYRE	BY	3rd	M F		:		•			•	•	: (20
AYRI	BY	3rd	F M F				•	• • •		•	•	• (2, 3
AYR	BY		M F M F	2	:					•	•		4 2 3
AYRI		2nd 3rd	F M F M F	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$:		:			•			2, 3
AYRI	BY	3rd	M F M F	3 5 2						•			7 4 2 3
AVR	BY	2nd 3rd	F M F M F	3 5 2 1 1 1 1 1						•			7 4 2 3
THE PROPERTY OF THE PARTY OF TH	BY	2nd 3rd	F M F M F	$\begin{array}{cccccccccccccccccccccccccccccccccccc$						•			7 4 2 3
Carries we resemble and a source of the second of the seco	BY	1st 2nd 3rd	F M F M F	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		panel				•			7 4 2 3
AVR.	BY	1st 2nd 3rd	F M F M F	aation 1 2 2 1		panel	System, 1			•			7 4 2 3
BAVE TO THE PERSON OF THE PERS	BY	1st 2nd 3rd	F M F M F	aation 1 2 2 1		panel	System, 1			•			7 4 2 3
BAND of the state	BY	DEATH 1st 2nd 3rd	F M F M F	Birth 3 5 2 1 Malformation 1 1 2 Debility, &c. 1 1 1		panel	System, 1						7 4 2 3
BAND To the stage of the stage	BY	1st 2nd 3rd	F M F M F	Birth 3 5 2 1 Malformation 1 1 2 Debility, &c. 1 1 1	RESPIRATION 1 1	DIGESTION—	NERVOUS SYSTEM, 1	Diseases— esenterica ubercular				CAUSES	7 4 2 3
AVA to the order of the second	BY	OF DEATH	F M F M F	ture Birth 3 5 2 1 tasis 1 2 1 1 2 1 1		of Digestion— itis itis s	OF NERVOUS SYSTEM	Diseases— esenterica ubercular			Accidents	CAUSES	7 4 2 3
AND the state of t	BY	OF DEATH	F M F M F	ture Birth 3 5 2 1 tasis 1 2 1 1 2 1 1	OF RESPIRATION 1 1 1	of Digestion— itis itis s	OF NERVOUS SYSTEM	Diseases— esenterica ubercular			Accidents	CAUSES	7 4 2 3
AND the experience of the second seco	BY	OF DEATH	F M F M F	ture Birth 3 5 2 1 tasis 1 2 1 1 2 1 1	OF RESPIRATION 1 1 1	of Digestion— itis itis s	OF NERVOUS SYSTEM	Diseases— esenterica ubercular	Tecrnous Diseases— Whooping-cough Measles Diphtheria Syphilis		HER ACCIDENTS	OTHER CAUSES	7 4 2 3
AND the state of t	BY	DEATH 1st 2nd 3rd	F M F M F	ture Birth 3 5 2 1 tasis 1 2 1 1 2 1 1	OF RESPIRATION 1 1 1	DIGESTION—	OF NERVOUS SYSTEM	Diseases— esenterica ubercular	Diseases— ng-cough ria		OTHER ACCIDENTS 1	OTHER CAUSES	7 4 2 3
AND the state of t	BY	OF DEATH	F M F M F	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	RESPIRATION 1 1	DISEASES OF DIGESTION— (a) Diarrhæal (b) Enteritis (c) Dentition (d) Others	NERVOUS SYSTEM, 1	Tabes Mesenterica Phthisis Other Tubercular	INFECTIOUS DISEASES— (a) Whooping-cough		I. Other Accidents	ALL OTHER CAUSES	7 4 2 3
AND The straight of the state of the section of the	BY	OF DEATH	F M F M F	ture Birth 3 5 2 1 tasis 1 2 1 1 2 1 1	OF RESPIRATION 1 1 1	of Digestion— itis itis s	OF NERVOUS SYSTEM	Diseases— esenterica ubercular	Tecrnous Diseases— Whooping-cough Measles Diphtheria Syphilis	SUFFOCATION	I. Other Accidents	OTHER CAUSES	7 4 2 3

					82								
1	ndals	E	01-4	50	6	4	0 1000	• • • 4	•	•	•	35	
1	Grand Totals	M	10 10	20	010000000000000000000000000000000000000	7	0::		•	•	CJ	49	84
	la la	E	· - : e	70	9 : 7 :	ಣ	# : #	–	:	•	:	22	
	Total	M		70	L70 ::	4	- : :	: : : -	•	•	П	31	
	2th	E		_		_			•	•	•	0	
		F M		:			• • •		•	•	•	4	
	11th	M	0 0 0	_		•	• • •		•	•	•	4	
	10th	I H		•		•			•	•	•	3 4	
	-	FI	: : : -	<u>.</u>	: : - :	-			•	•	•	5	
HS	9th	×		•		•	• • •		:	•	•	1	
MONTHS	8th	M. H. H.	0 0 0	: :_	- : : :	;	• • •		•	•	•	$\overline{5}$ 1	
		压		•	 	•	• • •		•		•	1	
BY	7th	M	: : : 67	•	0. : : :				•	•	•	5	
AGES	6th	ME	: : : :	•			• • •		•	•		2 1	
AG		E4		•	• • • •	•	• • •		•	•	•		
	5th	M		:	:01 : :	:	• • •	• • • •	:	•	•	2 2	
	t th	MF		•		-			•	•		4 5	
	d 4	[H				:	• • •		•	:	•	-	
	3rd	M				•			•	•	•	1 2	
	2nd	ME		•		•		:::-	•	•	•	ī	
	a.l	E	0 :	:	е — — — — — — — — — — — — — — — — — — —			: : : : : : : : : : : : : : : : : : : :			•	13	
82	Total	M	3 : 1 %	•	ന — : :	က	— ::	* * * *	•	•	-	18	ಣ
WEEKS	4th	E	::: =	:	€ : : :	7		: : : : : : : : : : : : : : : : : : : :	•	•		7	
		F	_ :: 0	•	<u> </u>			• • • •	•	•	•	1 6	
BY	3rd	I W			• • •		• • •	0 0 0	•	:		23	
	2nd	E	:: -:	•	2	•		• • • •	•	:	•	3 2	
AGES		F W		<u>:</u>		:	• • •		•	•	•	8	
	lst	M	e :	•	: : :				•	•	•	7	
				•		M			•	:	•		
			u c		1	SYSTEM					٠		
	Ħ		Birth Malformation	NOI		S_{Y}			:	•	•		
	DEATH		e Birth il Malforn is Debility,	RESPIRATION	Digestion	NERVOUS	SES- ica lar	ses-	•	ស្ថ	700		
			Birth Malfo	ESPI)IGE	ERV	SEA nter rcul	SEAS	•	ACCIDENTS	CAUSES		
	OF			R	OF Desal	Z	Dr fese 'ube	Drs ng-(NO	CCID			
	ES		ry—natu natu geni ects	OF	ıs ο rrhα eriti titic	8	LAR es M hisis er T	ous oopi sles hthe	ATI(OTHER		
	AUSES		TURITY— Premature Congenital Atelectasis Atrophy, L	EASES	DISEASES OF (a) Diarrheal (b) Enteritis (c) Dentition (d) Others	ASE	TUBERCULAR DISEASES— (a) Tabes Mesenterica (b) Phthisis (c) Other Tubercular	ECTIOUS DISEASES Whooping-cough Measles Diphtheria Syphilis	FFOCATION	THER			
	CA			ISE_A) ISE (a)] (b)] (c)] (d) ()ISE	(a) (b) (c) (c) (c)	(a) (b) (c) (d) (d)	SUF	OT	ALL		
			[a) (b) (c) (d)	. Disi		7. I	I.	H OOOO	VII. SU	VIII. O	IX. A		
			i	II.	 	IV.	>	VI	\	Λ	I		

		als	두	:::4	_	44::	0.1	- :-	::	•	•	:	19	
		Grand Totals	M	4	01	w 4 ∶ ⊢	_ C1	• • •			•		21	40
1		la l	F	: : : : : : : : : : : : : : : : : : : :	П	44::	CI	7 ; 7	::	:	•	•	18	l
		Total	×	:::=	0.1	01 00 : -	_ (1)				0		12	
		2th	딸				:			•	•	:	-	
			X		•		•			•	:			
		11th	MF		•		•			•	•		-:	
					•		•		• • • •	•	•	•	-	
	∞	10th	M		-	• • • •	•	• • •	• • •	•	•	0	23	
	MONTHS		<u>F4</u>		•	: - : :	•			•	•	•	2	
	ON	9th			•	• • • •	•			•	•	•		
		8th	MF		•		:	• • •		•	:	1	3	
	BY	-	<u> </u>	• • • •	•					•	•	•	22	
		7th	W				•			•	•	•	2	
	AGES		Έ		•		•	- : -		•	:	•	67.	
	A	6th	M		•		-			:	•	•	ಣ	
		5th	두		•	• p===; • •	•	• • •		:	•	•	1	
1		70			•	: : : :	:	• • •	• • • •	•	•	•	1 1	
2.0		4th	MF		•		•			•	•	•		
1			<u>F</u>		•		•	• • •	• • • •	•	•	•		
		3rd	M		•		:			:	:	•	_:	
		2nd	Fi		•	- 0 ::				•	•	•	7	
-		22	M		<u>:</u>					:	:	•	1 1	
I		tal	<u>F</u>	::: =	•		•	• • •	• • • •	•	•	•		0
	82	Total	M	4	•		•	• • •			•	•	6	Ť
	WEEKS	q	두		•		:	• • •		•	•	•		
	W	4th	M		•		•	• • •	• • • •	<u>:</u>	•		. 4	
	BY	3rd	ME		•		•			•	•	•	•	
					•		•	• • •		•	•	•		
	AGES	2nd	M		:		•				•	:	-	
	A	34	딾		•		•	• • •		•	•			
		lst	M	4 : : :	:		:	• • • •		:	•		14	
					•				• • • •	٠	•	•		
				g			SYSTEM.							
ł		Н		Birth Malformation bebility, &c.	ON		S_{Y}			•	•	•		
		DEATH		orm	OF RESPIRATION	or Digestion teal tis	NERVOUS	ES-ca	S C		70			
		DE.		Birth Malfo	PIR	な	RVC	sas: teri	ugh	•	ACCIDENTS	SES		
		OF]		B B B B B B B B B B B B B B B B B B B	RES	Di D	NE)isi sen)ISE 3-co		IDE	CAUSES		
				bure iita asi	Ei Ei	OF œa] ti s ion	OF	R I Me is Tul	s L	ION	Acc			
		SES		TY-mat mat gen lect lect		-C -H +D %		RCULAR Tabes M Phthisis Other T	crious Di Whooping- Measles Diphtheria Syphilis	CAT		OTHER		
		CAUSES		Premature Birth Congenital Malforn Atelectasis Atrophy, Debility,	ASE	EASES OF Diarrhœal Enteritis Dentition Others	[AS]	RCULAR DISEASES. Tabes Mesenterica Phthisis Other Tubercular	ectious Disease Whooping-cough Measles Diphtheria Syphilis	SUFFOCATION	OTHER	OI		
		70		IMMATURITY (a) Prema (b) Conger (c) Atelect (d) Atroph	DISEASES	DISEASES (a) Diarrl (b) Enter (c) Dentii (d) Other	DISEASES	TUBERCULAR DISEASES (a) Tabes Mesenterica (b) Phthisis (c) Other Tubercular	Infectious Diseases (a) Whooping-cough (b) Measles (c) Diphtheria (d) Syphilis	SU		ALL		
				IMI						H.	VIII.	Z. 1		
				i	H		17	>	VI			17		
1														

					84							
	Grand Totals	Fi	:- :0	ಣ	000 : :	Ċ1			•	•	•	13
	Gra	M	4:14	C1	40 ::	4	• • •	-01 :-	•	-		27
	Total	 F4		ಣ	000::	01	• panel •		•	:		
		M	: : : 67	CI	401::	4		-01:-	:			20
	2th.	MF	• • • •	•		•	• • •	::::	•	•	•	[2]
	11th 1	阳		•		•	• • •		•	•	•	
		M		•		•		• • • •	•	•	•	
SQ.	10th	M F		•					•	•	•	-
MONTHS	9th	MF					• • •			•	•	2
MOM		H		-		•	• • •		•	•	•	-
BY I	8th	M	0 0 0	•		•			•	•	•	
	7th	MF	• • • •				• • •	• • • •				3 1
AGES	6th	[F4		•		-			•	•		
7		F M		•		•	• • •	• • • •	•	•		2
	5th	M		•	• • • •		• • •		•	•	•	
	4th	M F		•		•				•	•	[7]
		H	: : : :	•		•	• • •		•	•	•	22
	3rd	M			2	:	• • •	• • • •	•	•	•	3 4
	2nd	MF					• • •	<u> </u>	•	*	•	4
	[ar]	[F4	:- :-	•		•			•	•		C1 C
KS	Total	M	4 : 1 3	•							:	7
WEEKS	4th	M		•		:			:	:		
		H	· · · · ·	•		•		• • • • •	•	:	•	-
S BY	3rd	M		•		•	• • •		•	•	•	
AGES	2nd	MF	0 0 panel	•		•			•	•	•	
A	lst	FH		•		•	• • •		•	•	•	
		M		•		:		• • • •	:	•	:	4
		ļ		•		EM.	\$	ngarija.	•	•	•	
	lund		Birth Malformation 	Z		System	• • •	* * * *	:	•	:	
	ATE		rma y, &	ATIO	KION	SD	- Si 3	SO				
	DEATH		Birth Malfo	PIR	Digestion	NERVOUS	sase teric	ugh	•	NTS	SES	
	OF			RES	Dro	NE	Dist	Dise g-co ia	5	ACCIDENTS	CAUSES	
			y—atunenita	OF	or hæa ritis Ition rs	OF	AR] s Me isis r Tu	opin opin les ther ilis	TIOL	Acc		
	AUSES		rurity— Premature Birth Congenital Malforn Atelectasis Atrophy, Debility,	ASES OF RESPIRATION	Drseases or (a) Diarrhœal (b) Enteritis (c) Dentition (d) Others	SES	cur. abe hth	ECTIOUS DISEASES Whooping-cough Measles Diphtheria Syphilis	OCA	IER	OTHER	
	CA			SEA	11SE2	ISEA	BER () T () P () O	TEEC S) W	UFF	OTE	ALL 0	
			(a) (b) (c) (d)	DISE.	U # 500	. D.	TUBERCULAR DISEASES— (a) Tabes Mesenterica (b) Phthisis (c) Other Tubercular	$ \begin{array}{c} \text{Inf} \\ (a) \\ (b) \\ (c) \\ (d) \end{array} $	VII. SUFFOCATION	VIII. OTHER	E. A	
			ij	II.	Ħ	IV.	>	VI	VI	VI	IX.	
												•

EXCHANGE WARD.

VENES OF DEATH				GRC	OVE		呈	4	3	AR						-					-		
THE STATE AND STANDAR		AG			EKS						A	GE	Ω		NTF	R					5	ranc	ਰ
Mattion Mattion Mattion Mattion No. ON. ON. ON. ON. ON. ON. ON.						, , , , , , , , , , , , , , , , , , , ,	2nd	3rd	4th	5th				th	9th	10th				[ota]		otal	V 2
mation 1 4 1 1 1 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2		드	[H	M		1	1			·	<u> </u>		Í٦				N N	1	Ĥ				
S System S System 1	Birth I Malformation S Debility, &c.	4 1				2 - :-	: : : :			:::=			• • • •	1					1			4 4	0 - 0
DIGESTION — U U U DIGESTION — U NERVOUS SYSTEM.	RESPIRATION	•		•		:	•		•						•	-:		•		9	4	<u> </u>	4
Diseases—senterica 1 1 1 1 6 7 Diseases—senterica 1	STION		• • • •		• • • •				· · · · · ·	:-::				0 0 0	• • •		:0 ::			• •	•	• •	0100
DISEASES— Senterica bercular DISEASES— Secondh ia CAUSES CAUSES DISEASES— 1	NERVOUS		•	•		•			•	•	•	•	:	-:-			•			9	•	7	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 3 3 3 3 3 3 3 3 3 3 3 3 3 1 3 1 3 1 3 1 3 1 3 1 3 1 1 3 1 3 1 1 1 3 1 1 3 1 1 1 3 1		• • •	• • •																	0 0 0		• •	o o parent
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	E S C					- : : :						0 0 0	• • •										- · · ·
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	• &	• •	• •	• •	• •	•		• • •	• •	• •	• •	• •	• •				• •	• •			• •	• •	
2 2 1 1 3 12 6 3 3 2 5 1 3 1 1 1 1 2 1 3 1 1 2 2 2 24 10 36 1	CAUSES	-:	•			:	•	•	•	•	•	•	:	•	-:	•	:	•		•		· ·	•
		2		-									1				1		2	4 1			1 00 1

LINTHORPE WARD.

	-11	AGES	BY.	WEEKS	KS							AG	AGES	BY	MO.	MONTHS	SI								
CAUSES OF DEATH	lst	2nd	3rd	4th	Total	1	2nd 3	3rd	4th	5th		6th 7	7th	8th	9th		10th	11th		2th	Total	l.g	Grand Totals	als	
	H H	IK I	H	M	X	E W		M	M	Z	F M	F	M F	M	M	F	F	MF	M	E	M	Fi	M	F	
I. Immaturity— (a) Premature Birth (b) Congenital Malformation (c) Atelectasis (d) Atrophy, Debility, &c.				:::01				: : : -												::::	: : : =	: : 4		4	
II. DISEASES OF RESPIRATION	•	•		•	П	:	•	•	•	•	-	•		•		-:	•	•	•	:	4	H	10	П	
III. DISEASES OF DIGESTION— (a) Diarrheal (b) Enteritis (c) Dentition (d) Others			• • • •				• • • •	- : : :	:			• • • •			• • • •			• • • •			12 ::	::	10 :::	: :	30
IV. DISEASES OF NERVOUS SYSTEM		•	:	:	•	<u>.</u>		•	•	•	•	•	•	•	•		•	•		•		CI		က	
V. Tubercular Diseases— (a) Tabes Mesenterica (b) Phthisis (c) Other Tubercular	• • •		• • •	0 0 0		• • •	• • •		• • •			• • •	0 0 0		• • •	:	• • •	• • •			: : =		: : -		
VI. Infectious Diseases— (a) Whooping-cough (b) Measles (c) Diphtheria (d) Syphilis			• • • •	• • • • • • • • • • • • • • • • • • •								0 0 0 0 0 0 0 0 0				: : : :			: : : :		H : : :	; c ₂ : :	- : : :	; cu : :	
VII. SUFFOCATION	:	:	•	•	•	<u></u>	•	•	•	•	•	•	•	•	•		•	•	•	•	•	:	•	1	
VIII. OTHER ACCIDENTS	•	•	:	•	•	:	•	•	•	•	•	•	•	•	•	:		•	•	:	•	•	•	•	
IX. ALL OTHER CAUSES		•	•	1		:	•	•	•	•	•	•	:	•	•		:	•	•	:		•	0.1	•	
	-	$1 \mid 1 \mid \dots$	2 3	3	9	2 1	1	$1 \mid 2$	2	$\lfloor 1 \rfloor$	1^{\mid} 1		3			2 1			1 1		12	11	18	13	
					∞																61	23	ಣ	_	

						87								
		Grand Totals	知	4 - 60 0	ে	S 10 = :	C1		:::61	•	:	೧೦	45	4
		Gra	M	3 10 10	12	12 : :	က	H : C7	• • •		•		49	6
		al	Ħ	2 : 2	೧೦	0001:	CJ			•	:		27	
		Total	M	: - : m	11	27 : :	CJ	- :-	— : : :	-	•	•	34	
		2th	드	: : : -	_ :-		•	• • •		:	•	:	T	
			M	0 0 0		• • • •	•	• • • •	• • • •	•	•	•	3	
		11th	$M_{ m E}$	• • • •	-	6.1 : : :	•	• • •		•	•	•	3	
	∞		두					* * *		:	•	•	4	
	MONTHS	10th	M		1			• • •		_:-	•	•	3 2	
	IOI	9th	M		•		-		0 0 0	•	•	•	2	
l			E	• • • •	•	 	•	* * *	• • • •		•	- :	-	
	BY	8th	×	: : : =	•		•				:	:	2	
	AGES	7th	H							•	•	•	$\frac{1}{4}$	
	AG		F W		•	e	•			•	•	•	5	
		6th	M				•	• • •	* * * * *	•	•	0 1	-	
		5th	Έ		•	7 : : :	•			:	•	:	1	
		- <u>.</u>	×		·	2 : : : : : : : : : : : : : : : : : : :	•	• • •	0 0 0	•	•	•	2 8	
		4th	ME				•	• • •	• • • •	•	•	:	3	
ı			드	:	•	 	•			:	:	:	3	
		3rd	M								•		6 2	
		2nd	MF		2 1		-	• • •	• • • • • •	•	•		4 6	
			F4	73:10	•	<u> </u>	•	• • •	::::	:	:	(2)	18	
	_Ω	Total	M	7 -: 3	$\overline{}$: : =		•	•	—	15	333
	WEEKS	-	E							:	•	:	-	
	WE	4th	M	4	•	3.		::-		:	•	:	9	
	BY	3rd	, F4		•	ca : : :	•	• • •	• • • •	•	•		3	
			M		-:	A STATE OF THE STA	•		• • • • •	•	•	•	4	
	AGES	2nd	M			• • • •	•	• • •	• • •	•	•	•	-	
ľ	A	Carre	F	- : m ro	•	: : : :	:		0 0 0	•	•		10	
		lst	M	0 ::0	•		•			:	:		150	
					•		EM.		• • • •	•	•	•		
				uo .		1	SYSTEM			•				
		Ħ		Birth Malformation 	ION					•	•	•		
		DEATH		h orm ity,	RESPIRATION	or Digestion iæal tis ioin	NERVOUS	B. Diseases- Mesenterica is	ses- gh	•	S	Ø		
		DE		e Birth I Malforn S Debility,	SPL	IGE	ERV	Diseases: esenterica	SEAS Soug	•	ENJ	CAUSES		
		OF		re I al I sis		al s n	Z	Dis fese ube	Diseases ng-cough	Z	ACCIDENTS	CAI		
				TORITY— Congenital Atelectasis Atrophy, I	OF		0 P	RCULAR DISEASES Tabes Mesenteric Phthisis Other Tubercular	Uhooping-cough Weasles Diphtheria Syphilis	FFOCATION		ER		
				rurry Prema Conges Atelec Atropl	ASES	EASES Diarrh Enterit Dentiti	SES	cur abe hth	ECTIOUS Whoopi Measles Diphthe Syphilis	30 C	THER	OTHER		
		CAUSES			SEA	DISE/2 (a) D (b) E (c) D (d) O	ISEA	BER (2) T (2) (3) (4) (4) (4) (5) (5) (5) (6) (6) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	E C C C C C C C C C C C C C C C C C C C	OF	OTI	ALL		
				[(a) (b) (c) (d) (d)	DISE	. •	D.	F-1	(a) (b) (d) (d)	VII. SU	VIII. O			
					II.	H	IV	>	VI	ΛΙ	VI	IX.		
1														8

AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY NOWTHS AGES BY WEEKS AGES BY MONTHS AGES BY WEEKS AGES BY MONTHS AGES BY WEEKS AGES BY MONTHS AGES BY MO	न	1 -	200	1	1 07 00	G	9	ಣ	07	A) A)				11.	
WARSH WARDERS AGES BY WEBERS AGES BY WEBERS AGES BY MONTHS		ance	tal	<u> </u>				(414)		00	•	•	•	88	_
WARSH WASH		Ţ.	To	M	40000	Co		7		<u> </u>	_	7	T	69	100
MARSH WARD. AGES BY WEEKS AGES BY WEEKS AGES BY WONTHS AGES BY WEEKS AGES BY WONTHS AGES BY WEEKS AGES BY MONTHS AGES BY AGES BY AGES BY MONTHS AGES BY AGES			al	=		0		ಣ	c3 : L	00 ::	:			29	۱
AGES BY WEEKS AGES BY WEEKS AGES BY MONTHS AGES BY M	٨		Tot	M		∞	o vo ⊢ :			2:02					
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY MONTHS			th	Fi		:		П							
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY MONTHS AGES BY BY BY BY BY BY BY BY BY BY BY BY BY	ž.			X	1	ಣ	H			.01	•	•	+	9	
AGES BY WEEKS AGES BY WEEKS AGES BY MONTHS AGES BY AGES BY BY BY BY BY BY BY BY BY BY BY BY BY			th	1										114	
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WONTHS					• • • •	•		•				1		<u>0</u>	
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY MONTH	ţ	Ø)th							_				1.4	
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AT AT AT AT AT AT AT A	3	TH				•	• • •	•	• • •				• .	Lan.	
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AT AT AT AT AT AT AT A	æ	NO	9th				• • • •					:	•	1	
MARSH WARD. AGES BY WEEKS AGES BY BY BY BY BY BY BY BY BY BY BY BY BY		M		1		_	c7 · · ·		• • •	• • • •	•		•	11	
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY BY BY BY BY BY BY BY BY BY BY BY BY		3¥	8th			•	ന — · ·				•	•	•	5	
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY BY BY BY BY BY BY BY BY BY BY BY BY			q	두					• • •			•	•	22	
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY BY BY BY BY BY BY BY BY BY BY BY BY	1	GE GE	76	M		•			• • -			•	•	.07	
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS A K K K K K K K K K K K K K K K K K K		A	q	1		0.7	-				•			4	
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS AGES BY BEACH AGES BY WEEKS AGES BY BEACH AGES BY WEEKS AGES BY BY BY BY BY BY BY BY BY BY BY BY BY			9	M											
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS A th			th		• • •		• • •	•			•	•	•	3	
AGES BY WEEKS AGES BY WEEKS ACCOURT St. 2nd 3rd 4th Total 2nd 3rd 4th Tota			50					:				:_		2	
MARSH WEEKS WEEKS WEEKS WEEKS WEEKS St. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. DEATH St. Dr. Dr. Dr. Dr. Dr. Dr. Dr. Dr. Dr. Dr	4		£th					•			•	•	•	8	
AGES BY WEEKS AGES BY WEEKS WE M F M F M F M F M F M F M F M F M F M	1	N											•	1.07	
AGES BY WEEKS AGES BY WEEKS BY WEEKS BY WEEKS AGES BY WEEKS BY WE WE AGED BY BY BY WE AGED BY BY BY WE AGED BY BY BY WE AGED BY BY BY BY BY BY BY BY BY BY BY BY BY	5	0	3rd		·	-		-:				•		9	
AGES BY WEEKS AGES BY WEEKS AGES BY WEEKS A th Total				된	–			:					•	101	
AGES BY W USES OF DEATH Ist 2nd 3rd 4 UNSES OF DEATH AF M F M F M F M ORTIV— Tremature Birth Ongenital Malformation 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	I		2n	M	• •									7	
AGES BY W USES OF DEATH Ist 2nd 3rd 4 UNSES OF DEATH AF M F M F M F M ORTIV— Tremature Birth Ongenital Malformation 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	S		ai	F	67 - 1.20	•		•			•	:		6	
AGES BY W USES OF DEATH Ist 2nd 3rd 4 UNSES OF DEATH AF M F M F M F M ORTIV— Tremature Birth Ongenital Malformation 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		S	Pot	M	80-10		60 :-	9			•	:		29	38
AGES BY W USES OF DEATH Ist 2nd 3rd 4 UNSES OF DEATH AF M F M F M F M ORTIV— Tremature Birth Ongenital Malformation 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	EK		F1	67			-	• • •		:	:	-:		
TUSES OF DEATH TOTAL ASES OF DEATH AGES BY M. F. M.	2	VE	4tl		:01 :m	•	01-	<u></u>					•	12	
AGES USES OF DEATH Tremature Birth OBTITY— Tremature Birth OBJUITY— Trepetasis ARES OF BESPIRATION ASES OF DIGESTION— Diarrhead Opticion Others OF DIGESTION— Theres Opticion Others ASES OF NERVOUS SYSTEM ASES OF DISEASES— CALOUR DISEASES— Theres CATOUS DISEASES— Theres OTHOR DISEASES— Theres OTHOR DISEASES— Theres OTHOR DISEASES— Theres OTHOR DISEASES— Theres OTHER ACCIDENTS	٠			F	:::-		• • • •		• • •		•	•	•	-	
AGES USES OF DEATH Ist 2nd The M F M I The M I I I I I I I I I I I I I I I I I I		B	31.	M		•			• • •	• • • •	•	:	, •	16	
ACULAR DISEASES— CULLAR DISEASES— CAULAR DISEA		E SS	nd		:::=	•	• • • =			* * * *	•	•	•		
USES OF DEATH Ist CRITY— Premature Birth Jongenital Malformation Artophy, Debility, &c. Ases of Resperation Jarknæal Jurhæal Jorentiis Sers of Digestion— Jorentiis Jorentiis Jorentiis Sers of Nervous System. Cutlar Diseases— Roular Diseases— Cutlar Diseases— Cutlar Diseases— Roular Tubercular Cutlor Diseases— Roular Tubercular Cutlor Diseases— Roular Accidents Choyphilis Cother Accidents Cother Accidents Cother Causes Cother		19	C1				• • •		• • •	• • • • •	•	•	•	2	
USES OF DEATH CURITY— Pemature Birth Congenital Malformation Nelectasis Atrophy, Debility, &c. SES OF RESPIRATION ASES OF DIGESTION— Diarrhœal Suteritis COULAR DISEASES— Tabes Mesenterica Strong DISEASES— Thhisis CHOUS DISEASES— Whooping-cough Measles Diphtheria Syphilis COURER ACCIDENTS OTHER ACCIDENTS OTHER ACCIDENTS		21	st					•			•	•			
USES OF DEATH ORITY— Premature Birth Congenital Malformation Atelectasis Atrophy, Debility, &c. SES OF RESPIRATION ASES OF DIGESTION— Jarrhœal Contrition Chers Coular Diseases— Recoular CTIOUS DISEASES— CHOUS DISEASES— Whooping-cough CTIOUS DISEASES— CTIOUS DISEASES— Whooping-cough CTIOUS DISEASES— CTIOUS DISE	خ آ			A	•	·		•			•		•		
USES OF DEATI THER ACCIDENTS TOTAL DESTROY ASES OF RESPIRATION SES OF RESPIRATION SES OF RESPIRATION SES OF RESPIRATION COTTONS DISEASES— CATOUS DISEASES— CATOUS DISEASES— CATOUS DISEASES— Whooping-cough Measles TOTHER ACCIDENTS OTHER ACCIDENTS OTHER CAUSES	,					•		.M.			•	•	•	4	
USES OF DEATI THER ACCIDENTS TOTAL DESTROY ASES OF RESPIRATION SES OF RESPIRATION SES OF RESPIRATION SES OF RESPIRATION COTTONS DISEASES— CATOUS DISEASES— CATOUS DISEASES— CATOUS DISEASES— Whooping-cough Measles TOTHER ACCIDENTS OTHER ACCIDENTS OTHER CAUSES	ii ģ				ď			STE						A V-1878	
I. IMMATURITY— (a) Premature Birth (b) Congenital Malforms (c) Atelectasis (d) Atrophy, Debility, & II. DISEASES OF RESPIRATIO (a) Diarrhœal (b) Enteritis (c) Dentition (d) Others (e) Dentition (d) Others (e) Dentition (f) DISEASES— (g) Phthisis (g) Phthisis (h) Measles (h) Measles (h) Measles (h) Measles (h) Measles (h) Measles (h) Measles (h) Syphilis (h) Measles (h) Syphilis (h) Measles (h) Syphilis (h) Measles (h) Syphilis (h) Measles (h) Me	d s		田		atic	NO		SY				•		0	
I. IMMATURITY— (a) Premature Birth (b) Congenital Malfo (c) Atelectasis (d) Atrophy, Debility II. DISEASES OF BESPIRA III. DISEASES OF DIGEST (a) Diarrhœal (b) Enteritis (c) Dentition (d) Others (e) Dentition (d) Other DISEASE (a) Tabes Mesenteric (b) Phthisis (c) Other Tuberculay (d) Syphilis (d) Syphilis (d) Syphilis (d) Syphilis (IX. ALL OTHER ACCIDENTS) (IX. ALL OTHER CAUSES)	; ;		AT		rms	TI	[0]	CS	- 83 J	S S					
I. Immature Bin (b) Congenital Ma (c) Atelectasis (d) Atrophy, Deb (d) Atrophy, Deb (e) Diarrhœal (e) Enteritis (e) Dentition (d) Others IV. DISEASES OF NEE (e) Dentition (d) Others IV. DISEASES OF NEE (e) Dentition (d) Others IV. DISEASES OF NEE (e) Dentition (d) Others V. TUBERCULAR DISE (e) Dentition (d) Other Tuberco (e) Diphtheria (e) Other Tuberco (f) Measles (c) Diphtheria (d) Syphilis VII. SUFFOCATION VIII. OTHER ACCIDEN (IX. ALL OTHER CAUS)	1)E7		orth Heor	YIR.	EST	VO	ASE eric 	ASE 1gh	•	SL	E		
I. Immaturity— (a) Premature (b) Congenital (c) Atelectasis (d) Atrophy, I II. DISEASES OF I (a) Diarrhœal (b) Enteritis (c) Dentition (d) Others IV. DISEASES OF I (a) Phthisis (b) Phthisis (c) Other Tub VI. INFECTIOUS Di (a) Whooping- (b) Measles (c) Diphtheria (d) Syphilis VII. SUFFOCATION VIII. OTHER ACCII IX. ALL OTHER CA	,				Bin Ma	ESI	OIG	ER	ise. ent	SEA		DED	US		
CAUSES I. IMMATURITY— (a) Prematu (b) Congeni (c) Atelecta (d) Atrophy II. DISEASES OF III. DISEASES OF III. DISEASES OF III. DISEASES OF (c) Dentitic (d) Others (d) Phthisis (e) Diphthe (d) Syphilis (b) Measles (c) Diphthe (d) Syphilis VII. SUFFOCATIC VIII. OTHER AC IX. ALL OTHER			01		rre tal sis	α	F I sal		D lese	D _I	NO	COL	$C_{\mathbf{A}}$		
I. Immaturity (a) Pren (b) Cong (c) Atele (d) Atro (d) Atro (e) Diar (f) Ente (f) Dent (g) Dent (g) Phth (g) Phth (g) Phth (g) Othe (g) Who (h) Meas (g) Who (h) Meas (g) Diph (d) Syph			(X)		Y—natu natu eeni eeni ecta	OF	s o tha riti itic rs		AR S N isis	opi opi sles sles ithe	\TI(ER		
CA] I. IMMATU (a) P. (b) C. (c) A (d) A (d) A (d) D (e) D (d) O (f) D (f) P (g) D (g) P (g) P (g) P (g) M (h) M (45 775				RIT ren ong tele	ES	iari nte ent	SES	abe hth	Tro 7ho eas iph ypb	0 C	ER	тн)		
I. IMM/ (a) (b) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	100		CA		A C C	EAS	SEA DE	EA	E L	S D N	JFF	Тн			
1. In III. II. IV. IV. IV. IV. IV. IV. IV. IV	47				(c) (c) (d) (d) (d) (d)	OIS	(G) (G) (D) (G) (G) (G) (G) (G) (G) (G) (G) (G) (G	Dis	(c)				AL		
	į,				T .	[.]	ii.	ν.	Ε.	H	II.	III	X.		
	1				H	Η	H	Η	>	→	 		I		

					89								
Ì	Grand Totals	FH	01 :- 0) 4	3 - :	· \(\alpha\).	H : 6	* head *	•		•	25	
	Gr	K	⊣ :⊢ ≈			•	(()	HOH	(•		-	28	1
	tal	FH	• • •	4	07 :	. 0	- · C	• p	•	•	•	14	
	Total	×	: : : c1	10	- C7 : :		∽ : :	0	•		:	23	
	2th	F						• Francisco Control Co	•	•		2	
	pand .	F M	• • • • •	-		• •	• • •		•		•	1 2	
S	11th	M					• • •	, , , ,	•	•	•	2	
S	10th	M F		•					•				,
MONTHS				•		•		4 + 4 +	•	•	:	1 4	
MO	9th	M	• • • •	(A) 4						•		60	
BY	8th	M	• • • •	•			• • •		•	•	•	2	
		F		•		•	• • •			*	•		
AGES	7th	X	• • • •	O		•						က	
	6th	M		•			hanzid • •	• • • •	•		•	2 2	
		E	• • • • • • • • • • • • • • • • • • •	•	* * * *	•		• • • •	:	*	•	1	
	5th	M	::::	- 67	• • • •	•	• • hered • • •		•			3 2	
	4th	M		*		•			•	•	:	27	
		F		•		•			:	•	:		
	3rd	🗏			• • • • • • • • • • • • • • • • • • •	•		• • • present	•			2	
	2nd	M		•	• • • • • • • • • • • • • • • • • • • •	•			•	:		-	
	न	E	ा :नव	•		ಣ	• • •		######################################	Mar Hadiland museral	•	∞	
S	Total	H			• • • •	•		: : : :	•	:		5	13
WEEKS	4th	<u>F</u>	• • • •	-		ಣ			•	•		1 3	
		F		•		•				:	•	-	
BY	3rd	M				•						_:	
	2nd	H	: : : =	•		•		* * * *	•			1	
AGES		F	01:-:			•	• • •		:	•		~	
	1st	M		:		:						CO	
				•		M.				•			
			uo · .		1::::	SYSTEM.					•	Î	
	TH		natic	RESPIRATION				1	•	•	٠		
	DEATH		th forr	IRAI	Digestion l	NERVOUS	R Diseases: Mesenterica is Tubercular	ses.	•	LS	S		
			Birth Malfor	ESP])IGE	ER	RCULAR DISEASES Tabes Mesenterics Phthisis	CTIOUS DISEASE: Whooping-cough Measles Diphtheria		ACCIDENTS	CAUSES		
	OF	,	ure tal asis	X	or I næal itis tion s	<u>H</u>	Mese Mese s lube	icrious Di Whooping- Measles Diphtheria Syphilis	NO	CCII			
	SES		ry-nati	S OF	rrhc erit eriti	0 85	RCULAR Tabes M Phthisis Other T	CTIOUS Whoopi Measles Diphthe	MATI		OTHER		
	CAUSES		Premature Birth Congenital Malformation Atelectasis Atrophy, Debility, &c.	EASES	EASES OF Diarrhœal Enteritis Dentition Others	CASE	ERCULAR DISEASES Tabos Mesenterica Phthisis Other Tubercular	ECTIOUS Whoopir Measles Diphther Syphilis	SUFFOCATION	OTHER			
	O			DISE	DISEASES (a) Diarri (b) Enter (c) Denti (d) Other	DISEASES OF	TUBE (a) (b) (c)	Infectious Diseases (a) Whooping-cough (b) Measles (c) Diphtheria (d) Syphilis	Sur		ALL		
			[a] [b] (c) (d)		•		_	VI. I	VII.	VIII.	IX.		
			H	II.	Ħ	IV	>				H	1	

	, cheng	Totals	15 22 88	103	00 00 00 00 00 00	65	111	11 4 - 13	4	ಣ	16	616
		Total		,	8 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	47	10 19 19	10 17 17	C.1	CJ	1~	
`			4	<u> </u>	∞ 4	4						409
		12th	: : : : : : : : : : : : : : : : : : : :	0 00	œп : :	4	::¬	: - : :	•	•	•	27
8	-	lith	:::	L~	:: m az	ଣ	- :-	— en : :	•			56
	THS	10th			9 4 : :	4	es	ಣ– : :	:	•	:	35
	MONTHS	9th	4	13	. ಅರಾಜ	4	•	::				36
1904.	BY 1	8th	: : :01	1~	0444	4	: : 01	:- ::				32
year	AGES	7th	:-04	10	0.00 : :	10	: :01	оч — : :	:	_	_	41
the	AC	6th	::	20	r-0 :	9	ಣ ∶ಣ		•	•	П	32
during the		5th	::19	20	13 9 1	4	- :-	-:::	•	•		42
under d		4th	: : : 10	12	11 4 : 1	4	- :a	: :-07			-	44
		3rd	34	7	000 : :	ಣ	: : 4	1 : : 67	©1	*	-	40
ths and		2nd	1000	8	01 10	1.~	::-	٠ : : ٣			-	54
mom	KS	Total	56 11 14 45	10	16 8 1	18	- : ⋈	۳ : : 9	Ç1	1	6	207
hs 12	WEEKS	4th	44-1-	4	94-6	∞	- :3	٠ : : ١٥	•	•		19
Deaths	ВУ	3rd	10 to to 4	ಣ	4	ಣ			•	•	ಣ	30
	AGES	2nd	жене	ಣ	9 : : 1	70		: : : =		•	•	30
Infantile	A(lst	24 c c 81	:	: 07	Ç1					5	98
Total				•		W			•	:		:
	ATH		Birth Malformation ebility, &c.	ATION	- XOE	US SYSTEM		::::	:	:	•	:
34	CAUSES OF DEATH))	ture iital asis	SES OF RESPIRATION	DISEASES OF DIGESTION (a) Diarrhœal (b) Enteritis (c) Dentition (d) Others	ASES OF NERVOUS	TUBERCULAR DISEASES (a) Tabes Mesenterica (b) Phthisis (c) Other Tubercular	(a) Whooping-cough (b) Measles (c) Diphtheria (d) Syphilis	SUFFOCATION	HER ACCIDENTS	OTHER CAUSES	Total
	CA	~	I. IMMATURITY (a) Prematical (b) Congerus (c) Atelectus (d) Atroph	II. Diseases	111. DISE. (a) D (b) E (c) D (d) O	IV. DISEASES	V. TUBER (a) T (b) P (b) P	VI. INFEC (a) W (b) M (c) D (d) S;	VII. SUFF	VIII. OTHER	IX. ALL	W-11